



ANDHRA

pcb.ap.gov.in says
Details Submitted Successfully.

CONTROL BOARD



HOME

ABOUT US

DIVISIONS

MISSION LIFE

CONTACT US

LOGINS

OK

Compliance of EC/CFE/ CFO/ Directions

For submission of compliance reports by the Industries

1.Compliance Report : *

2. Order Number : *

3. Order Issued On : *

4. Issued by : *

5. Name of the Industry : *

6. Address : *

7. District : *

8. Email : *

9. Phone : *

10. Status of Compliance : *

11. Upload the Compliance Report : *



(<http://missionlife-moefcc.nic.in/>)

ANDHRA PRADESH POLLUTION CONTROL BOARD

ఆంధ్ర ప్రదేశ్ కాలుష్య నియంత్రణ మండలి



(<https://www.g20.org/en/>)

Compliance of EC/CFE/ CFO/ Directions

For submission of compliance reports by the Industries

1.Compliance Report : *

CFO

2.CFO Order Number *

APPCB/VSP/155/HO/CFO/2009

3.CFO Order Issued On *

11/18/2022

4.CFO Order Issued By *

Head Office

5. District : *

Visakhapatnam

6. Category Type : *

Red

7. Name Of Industry : *

Mylan Laboratories Limited, Unit-9

8. Address : *

Road No.12, Plot No.05, Tadi Village,
Parawada Mandal, JN Pharamcity,
Visakhapatnam

9. Email : *

Rajashekar.Kondepudi@viatris.com

10. Phone : *

7675019090

10. Status of Compliance : *

Complied

11. Upload the Compliance Report : *

Choose File Mylan Unit 9 CFO Half yearly Compliance report 2023.pdf

Note : *



CFE/CFO : Please note that under Section 42(f) of Water (P CP) Act, 1974 giving any information which he is required to give under this Act, knowingly or willfully makes a statement particular shall be Punishable.

Captcha :*



9kj nR3

Submit

Know More

- » [Copyright Policy \(Copyright.aspx\)](#)
- » [Privacy Policy \(PrivacyPolicy.aspx\)](#)

Government Portals

- » [AP State Portal \(https://www.ap.gov.in/\)](https://www.ap.gov.in/)
- » [Meekosam Portal \(https://www.meekosam.ap.gov.in/\)](https://www.meekosam.ap.gov.in/)
- » [Municipal Administration & Urban Development \(https://cdma.ap.gov.in/\)](https://cdma.ap.gov.in/)
- » [AP eProcurement Portal \(http://www.apecurement.gov.in/\)](http://www.apecurement.gov.in/)

Get In Touch

📍 Office Address

Andhra Pradesh Pollution Control Board,
Paryavaran Bhavan,
APIIC Colony Road, Gurunanak Colony,
📞 Autonagar, Vijayawada- 520007.

APPCB - Copyright ©2019. All rights reserved.

Designed and Developed by [APOnline](https://aponline) (https://aponline.



Mylan Laboratories Limited

Plot No: 564/A/22, Road No.92, Jubilee Hills,
Hyderabad - 500 096, Telangana, India
Tel : +91 40 - 30866666, 23550543, Fax: 30866699
E-Mail : mylan.india @ mylan.in
Web : www.mylanlabs.in
CIN : U2423 1TG1984PLC005146

Date: 21.12.2023

To

Member Secretary

A.P Pollution Control Board

Paryavaran Bhavan, APIIC Colony Road,

Gurunanak Colony, Autonagar,

Vijayawada- 520007.

Sir,

Sub: Submission of Six monthly CFO compliance report –June'2023 to November '2023 –
of M/s Mylan Laboratories Limited, Unit-9, Road No.12, Plot No.05, Tadi (V), Parawada (M), JN
Pharmacy, Anakapalli (D), Andhra Pradesh.

Ref: CFO order No. APPCB/VSP/155/HO/CFO/2009, dated 18.11.2022 & CFO Amendment
Order No: APPCB/VSP/155/HO/CTO/2009, dated 25/11/2022.

With the reference of above cited, we are here with submitting six monthly CFO compliance
audit report for the period from June to November '2023 your kind action

Yours faithfully

For Mylan Laboratories Limited, Unit-9

(MR. SUNIL ROY WADHWA)

Head - API Manufacturing, Unit-9

HALF-YEARLY COMPLIANCE REPORT

(Period from June to November 2023)

OF

**Mylan Laboratories Limited, Unit-9, Road No.12, Plot No.05,
Tadi (V), Parawada (M), JN Pharmacity
Anakapalli (D), Andhra Pradesh**

CFO GRANTED

CFO Order No: APPCB/VSP/155/HO/CFO/2009, dated 18.11.2022
CFO Amendment order No: APPCB/VSP/155/HO/CFO/2009, dated
25/11/2022

ISSUED BY
Andhra Pradesh Pollution Control Board.



PRIDHVI
ENVIROTECH (P) LTD.

CIN: U74900TG2010PTC070591



Accredited
Consultants

CERTIFICATE ON COMPLIANCE AUDIT

This is to Certify that the Compliance to conditions stipulated in CFO order issued by the Andhra Pradesh State Pollution control Board to **M/s. Mylan Laboratories Limited, Unit- 9, Road No.12, Plot No.05, Tadi Village, Parawada Mandal, JN Pharmacy, Visakhapatnam District** is Audited by **M/s Pridhvi Enviro Tech Private Limited** on 19.12.2023 Based on the data presented by the Industry and Site Visit. The Activities and measures carried out by the Industry have been verified and were found in compliance to the conditions stipulated in the CFO Order and detailed audit report is enclosed.

P. Venkata Raju



Name & Designation of the Environmental Auditor

P. Venkata Raju, Managing Director,

Pridhvi Envirotech (P) Limited



QCI/NABET/ENV/ACO/23/3052

Dec 06, 2023

To

Pridhvi Envirotech (P) Ltd., Hyderabad

184/C, Lawn House, 4th floor,
Vengalraonagar, Hyderabad - 500 038

Sub.: Extension of Validity of Accreditation till March 05, 2024 – regarding

Ref.. 1. Certificate no. NABET/EIA/2023/SA 0195

2. Request e-mail dated Dec 04, 2023

Dear Sir/Madam

This has reference to the accreditation of your organization under the QCI-NABET EIA Scheme, the validity of Pridhvi Envirotech (P) Ltd., Hyderabad is hereby extended till March 05, 2024, or completion of the assessment process, whichever is earlier.

The above extension is subject to the submitted documents/required information with respect to your application and timely submission and closure of NC/Obs during the process of assessment.

You are requested not to use this letter after the expiry of the above-stated date.

With best regards.

(A K Jha)
Sr. Director, NABET

NABET



National Accreditation Board for Education and Training



Certificate of Accreditation

Pridhvi EnviroTech Private Limited

184/C, Lawn House, Vengal Rao Nagar, Hyderabad- 500038, Telangana

The organization is accredited as **Category-A** under the QCI-NABET Scheme for Accreditation of EIA Consultant Organization, Version 3: for preparing EIA-EMP reports in the following Sectors –

S. No	Sector Description	Sector (as per)		Cat.
		NABET	MoEFCC	
1	Mining of minerals including opencast/ underground mining	1	1 (a) (i)	A
2	Thermal power plants	4	1 (d)	B
3	Metallurgical industries (ferrous & nonferrous)- both primary & secondary	8	3 (a)	A
4	Cement Plants	9	3(b)	A
5	Pesticide industry and pesticide specific intermediates (excluding formulations)	17	5(b)	A
6	Synthetic organic chemicals industry (dyes & dye intermediates; bulk drugs and intermediates excluding drug formulations; synthetic rubbers; basic organic chemicals, other synthetic organic chemicals and chemical intermediates)	21	5 (f)	A
7	Industrial estates/ parks/ complexes/areas, export processing Zones(EPZs), Special Economic Zones(SEZs), Biotech Parks, Leather Complexes	31	7(c)	A
8	Common hazardous waste treatment, storage and disposal facilities (TSDFs)	32	7 (d)	A
9	Highways	34		B
10	Building and construction projects	38	8 (a)	B
11	Townships and Area development projects	39	8 (b)	B

Note: Names of approved EIA Coordinators and Functional Area Experts are mentioned in SAAC minutes dated November 01, 2022 and supplementary minutes dated April 21, 2023 posted on QCI-NABET website.

The Accreditation shall remain in force subject to continued compliance to the terms and conditions mentioned in QCI-NABET's letter of accreditation bearing no. QCI/NABET/ENV/ACO/22/2765 dated May 11, 2023. The accreditation needs to be renewed before the expiry date by Pridhvi EnviroTech Private Limited, Hyderabad following due process of assessment.

Sr. Director, NABET
Dated: May 11, 2023

Certificate No.
NABET/EIA/2023/SA 0195

Valid up to
Dec. 05, 2023

For the updated List of Accredited EIA Consultant Organizations with approved Sectors please refer to QCI-NABET website.





National Accreditation Board for
Testing and Calibration Laboratories

CERTIFICATE OF ACCREDITATION

LAWN ENVIRO ASSOCIATES

has been assessed and accredited in accordance with the standard

ISO/IEC 17025:2017

**"General Requirements for the Competence of Testing &
Calibration Laboratories"**

for its facilities at

#184-C, LAWN HOUSE, VENGALRAO NAGAR, HYDERABAD, TELANGANA, INDIA

in the field of

TESTING

Certificate Number: TC-5800

Issue Date: 12/06/2022

Valid Until:

11/06/2024

This certificate remains valid for the Scope of Accreditation as specified in the annexure subject to continued satisfactory compliance to the above standard & the relevant requirements of NABL.

(To see the scope of accreditation of this laboratory, you may also visit NABL website www.nabl-india.org)

Name of Legal Entity : LAWN ENVIRO ASSOCIATES

Signed for and on behalf of NABL



N. Venkateswaran
Chief Executive Officer

AUDIT REPORT

**MYLAN LABORATORIES LIMITED, UNIT-9
ROAD NO.12, PLOT NO.05, TADI VILLAGE, PARAWADA MANDAL,
JN PHARMACY
VISA KHAPATNAM DIST., A.P. – 531 019**

Name of the Organization	Mylan Laboratories Limited, Unit-9, Road No.12, Plot No.05, Tadi Village, Parawada Mandal, JN Pharmacy Anakapalli District., A.P. – 531 019
CFO order No	APPCB/VSP/155/HO/CFO-2009 dated 18.11.2022
CFO Amendment order No	APPCB/VSP/155/HO/CTO/2009 dated: 25.11.2022
Date of Audit	19.12.2023
Auditor By	K.Akhil
Reviewed By	P. Venkata Raju, Managing Director, Pridhvi Envirotech (P) Limited
NABET Certificate No	NABET/EIA/2023/SA 0195
Person present during audit from Mylan Laboratories Limited, unit-9	Mr. K. Rajashekar, AGM- EHS

1. Introduction

M/S. Mylan Laboratories Limited, Unit-9, (formerly M/s Matrix Laboratories Limited) is located at Road no.12, Plot No.05, Tadi village, Parawada Mandal, JN Pharmacy Visakhapatnam dist. Total Area of the Plant is 6.67 Acres. . The unit was earlier in the name of Vivin Laboratories Pvt Ltd, Unit-2, Acquired by Matrix Laboratories Ltd (Subsidiary of Mylan Laboratories) in December 2009. Renamed as Mylan Laboratories Ltd, Unit-9 in October 2011. The unit obtained CFO from the Board vide CFO No APPCB/VSP/155/HO/CFO-2009 dated 18.11.2022 which is valid up to 31.10.2025. The unit currently constructed 05 production blocks.

2. Environmental infrastructure

1. Overhead Neutralization facilities for Low and High TDS Effluents with capacity of 200 KL and 200 KL respectively.
2. Block wise collection sumps – tank-in tank facilities for collection of low and high TDS effluents
3. Two stage scrubbers for process emissions and High TDS effluents collection sump
4. Vent condensers and Chillers for process reactors
5. Vent Condensers provided for solvent storage tanks
6. Dyke walls for all liquid storage facilities
7. Flow meters for water and waste water discharges
8. Cameras and flow meters for low and high TDS effluents areas with connectivity to CPCB and APPCB web site

9. On line VOC meters connected to APPCB web site
10. Containers cleaning area with effluent collection system
11. Hazardous waste Storage shed
- 12 Storm water drains and first rain collection and storage sumps

Unit developed green belt in an area of 0.319 Acres within the plant premises. (Due to the space constraints within the premises, Site has been developed 2.128 Acres of greenbelt in front of the site allotted by JNPC Pharma city. At IALA Gajuvaka, a combined total of 2.624 acres of greenbelt has been developed by Units 9 and 10. Of this, Unit 9 contributes 50%, i.e., 1.312 acres. Notably, Unit 9 has impressively developed 3.75 acres (56.2%) of the overall greenbelt.) Unit invested 4.8 Crores on environmental Infrastructure with a recurring cost of Rs 14.08 crores per annum.

The unit is submitting compliance report to APPCB every 6 months and monthly report on production, water, wastewater, disposal of hazardous Waste to the regional office. Forms V, Form IV are submitted to Regional office. Monthly analysis of effluents and emissions were done through NABL approved laboratory M/S Lawn Enviro Associates whose NABL certificate is enclosed.

3. Compliance and Observations

Very good compliance to the conditions of Consent for operation is observed in the industry. To be provide online pH adjustment for the scrubbers .

The overall condition wise compliances verified are given below with evidence wherever required for CFO Order No. APPCB/VSP/VSP/155/HO/CFO-2009, dated: 18.11.2022 and CFO Amendment No. APPCB/VSP/155/HO/CTO/2009, dated: 25.11.2022.

COMPLIANCE STATUS OF CONSENT FOR OPERATION

CFO Order No: APPCB/VSP/155/HO/CFO-2009

DATED: 18.11.2022

CFO Amendment No: APPCB/VSP/155/HO/CTO/2009

DATED: 25.11.2022

For the Period from June 2023 to Nov 2023

S.No	Description of Condition	Compliance status
<u>Schedule A</u>		
1.	Any up-set condition in any industrial plant / activity of the industry, which result in, increased effluent/ emission discharge and/or violation of standards stipulated in this order shall be informed to this board, under intimation to the collector and District Magistrate and take immediate action to bring down the discharge / emission below the limits.	This is Noted and followed by the Industry.
2.	The industry should carryout analysis of waste water discharges or emissions through chimneys for the parameters mentioned in this order on quarterly basis and submit to the Board.	Condition is Noted by the industry. All stacks are being monitored by MoEF approved 3 rd party laboratory, and reports are being submitted to board every month. Analysis reports for the month of Nov-2023 herewith enclosed as Annexure-01 for your reference and the values are well within the limits as per the consent.
3.	All the rules & regulations notified by Ministry of Law & Justice, government of India regarding Public Liability Insurance Act, 1991 should be followed as applicable.	This is Noted and followed by the industry. PLI policy obtained as per Public Liability Insurance Act, 1991. A copy of PLI policy, which is valid upto 31.12.2023 herewith enclosed as Annexure-02 for your reference.
4	Notwithstanding anything contained in this consent order, the board hereby reserves the right and powers to review / revoke any and/or all the conditions imposed herein above and to make such variations as deemed fit for the purpose of the Acts by the Board.	Condition is Noted by the industry
5	The Industry Shall Ensure that there shall not be any change in The Process Technology Source & composition of Raw Materials and Scope of Working without Prior Approval From The Board	Condition is Noted by the industry
6	The applicant shall submit environment statement in form V before 30th September of every year as per rule no. 14	Condition is Noted by the industry.

	of E (P) rules, 1986 & amendments thereof	Form-V is being submitted before 30th September of every year. Copy of acknowledgment for the latest Form-V submitted to board on 22.09.2023 herewith enclosed as Annexure-03
7	The applicant shall make applications through online for renewal of consent [under water and air acts] and authorization under HWM rules at least 120 days before the date of expiry of this order ,along with prescribed fee under water and air acts and Air Acts and detailed compliance of CFO conditions obtaining Consent and HW Authorization of the Board.	This is Noted and followed by the industry
8	The industry should immediately submit the revised application for consent to this board in the event of any change in the raw material used, processes employed, quantity of trade effluents & quantity of emissions. Any change in the management shall be informed to the board. The person authorized should not let out the premises / lend / sell / transfer their industrial premises without obtaining prior permission of State Pollution Control Board.	This is Noted and followed by the industry
9	Any person aggrieved by an order made by the State Board under section 25,section 26,section 27 of Water Act,1974 or section 21 of Air Act, may within thirty days from the date on which order is communicated to him, prefer an appeal as per Andhra Pradesh Water Rules,1976 and Air Rules 1982 to such authority (hereinafter referred to as the Appellate Authority) constituted under Section 28 of the Water(Prevention and control of pollution) Act, 1974 and section 31 of the Air(Prevention and control of pollution) Act,1981.	Condition is Noted by the industry
10	The conditions stipulated are without prejudice to the rights and contentions of this Board in any Hon'ble court of Law.	Condition is Noted by the industry
11	The Industry Shall be Liable to Pay Environmental Compensation / Other Environmental Taxes If any Environmental Damage caused to Surroundings as fixed by the Collector & District Magistrate or any other competent authority as per the Rules in vogue	Condition is Noted by the industry
12	The Industry may explore the possibility of tapping the Solar Energy for their energy requirements	Condition is Noted by the industry and being complied. The industry utilizing Solar power partially at our plant for energy requirements.
13	The industry should educate the workers and nearby public of possible accidents and remedial measures.	Condition is Noted by the Industry Awareness sessions are being conducted and workers are being

		<p>continuously educated on possible accidents and remedial measures through trainings, Standard Operating procedures, display boards, Know your chemical, Safety instructions and Hazard communications.</p> <p>The nearby public are being educated through Hazards communication board displayed In front of the company Main gate.</p>																								
SCHEDULE – B																										
1	The industry shall operate SRS unit and maintain VOC absorption Media like Activated Carbon for the vent of the condenser as per SoP for SRS units issued by CPCB.	<p>Condition is Noted by the Industry</p> <p>CFO has been Amended and board has authorized to operate SRS plant since activated carbon bed has been installed to the SRP column vent.</p> <p>Copy of Amended CFO attached as Annexure- Annexure-4</p>																								
2	The industry shall comply with the SoP's issued by CPCB for SRS units.	<p>Condition is Noted by the Industry</p> <p>Industry received amended CFO to operate SRS plant. Vide Amended order No. APPCB/VSP/155/HO/CTO/2009, dated 25.11.2022</p>																								
WATER POLLUTION																										
3	<p>The source of water is JNPC supply. The following is the permitted water consumption:</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: center;">SL.N o</th> <th style="text-align: center;">Purpose</th> <th style="text-align: center;">Quantity(K LD)</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td>Process & Washings</td> <td style="text-align: center;">84.09</td> </tr> <tr> <td style="text-align: center;">2</td> <td>Boiler feed</td> <td style="text-align: center;">110</td> </tr> <tr> <td style="text-align: center;">3</td> <td>Cooling makeup</td> <td style="text-align: center;">247.318</td> </tr> <tr> <td style="text-align: center;">4</td> <td>Softener & DM Plant</td> <td style="text-align: center;">4</td> </tr> <tr> <td style="text-align: center;">5</td> <td>Domestic</td> <td style="text-align: center;">20</td> </tr> <tr> <td style="text-align: center;">6</td> <td>Green Belt</td> <td style="text-align: center;">20</td> </tr> <tr> <td colspan="2" style="text-align: center;">Total</td> <td style="text-align: center;">485.408</td> </tr> </tbody> </table>	SL.N o	Purpose	Quantity(K LD)	1	Process & Washings	84.09	2	Boiler feed	110	3	Cooling makeup	247.318	4	Softener & DM Plant	4	5	Domestic	20	6	Green Belt	20	Total		485.408	<p>This is Complied by the Industry</p> <p>The fresh water consumption is within the board permitted quantity.</p> <p>Separate meters with necessary pipe-line provided to assess the quantity of water consumption.</p> <p>The avg. consumption for the month of Jun'23 – Nov'23 is 245.84 KLD and the values are within the limits as prescribed in the consent.</p> <p>Water consumption monthly details are being submitted to the board. copy enclosed as Annexure-5</p>
SL.N o	Purpose	Quantity(K LD)																								
1	Process & Washings	84.09																								
2	Boiler feed	110																								
3	Cooling makeup	247.318																								
4	Softener & DM Plant	4																								
5	Domestic	20																								
6	Green Belt	20																								
Total		485.408																								

<p>4</p>	<p>The LTDS effluents sent to CETP, Pharmacy shall not contain constituents in excess of the tolerance limits mentioned below, as per their MoU with M/s Ramky Pharma City.</p> <table border="1" data-bbox="236 376 975 1133"> <thead> <tr> <th>Outlet</th> <th>Parameter</th> <th>Concentration in mg/l</th> </tr> </thead> <tbody> <tr> <td rowspan="15">2*</td> <td>pH</td> <td>6.50-8.50</td> </tr> <tr> <td>Temperature ° C</td> <td><45° C</td> </tr> <tr> <td>TDS</td> <td>12,000 mg/l</td> </tr> <tr> <td>TSS</td> <td>600 mg/l</td> </tr> <tr> <td>BOD</td> <td>3000 mg/l</td> </tr> <tr> <td>COD</td> <td>8000 mg/l</td> </tr> <tr> <td>Oil and Grease</td> <td>20 mg/l</td> </tr> <tr> <td>Chromium Hexavalent (as Cr+6)</td> <td>2 mg/l</td> </tr> <tr> <td>Chromium (total) (as Cr)</td> <td>2 mg/l</td> </tr> <tr> <td>Ammonical Nitrogen (as N)</td> <td>30 mg/l</td> </tr> <tr> <td>Cyanide (as CN)</td> <td>0.20 mg/l</td> </tr> <tr> <td>Lead (as Pb)</td> <td>1 mg/l</td> </tr> <tr> <td>Nickel (as Ni)</td> <td>3 mg/l</td> </tr> <tr> <td>Zinc (as Zn)</td> <td>15 mg/l</td> </tr> <tr> <td>Arsenic (as As)</td> <td>0.20 mg/l</td> </tr> <tr> <td>Mercury (as Hg)</td> <td>0.01 mg/l</td> </tr> </tbody> </table> <p>(* The industry shall segregate the HTDS and LTDS effluent streams and the effluents which are not meeting the above standards shall be treated as HTDS effluents and shall be sent CETP of Pharma city for evaporation)</p>	Outlet	Parameter	Concentration in mg/l	2*	pH	6.50-8.50	Temperature ° C	<45° C	TDS	12,000 mg/l	TSS	600 mg/l	BOD	3000 mg/l	COD	8000 mg/l	Oil and Grease	20 mg/l	Chromium Hexavalent (as Cr+6)	2 mg/l	Chromium (total) (as Cr)	2 mg/l	Ammonical Nitrogen (as N)	30 mg/l	Cyanide (as CN)	0.20 mg/l	Lead (as Pb)	1 mg/l	Nickel (as Ni)	3 mg/l	Zinc (as Zn)	15 mg/l	Arsenic (as As)	0.20 mg/l	Mercury (as Hg)	0.01 mg/l	<p>This is Complied by the Industry</p> <p>The industry is complying with the condition and meeting the standards prescribed. Latest analysis report of Nov-2023 is enclosed at Annexure-06.</p>
Outlet	Parameter	Concentration in mg/l																																				
2*	pH	6.50-8.50																																				
	Temperature ° C	<45° C																																				
	TDS	12,000 mg/l																																				
	TSS	600 mg/l																																				
	BOD	3000 mg/l																																				
	COD	8000 mg/l																																				
	Oil and Grease	20 mg/l																																				
	Chromium Hexavalent (as Cr+6)	2 mg/l																																				
	Chromium (total) (as Cr)	2 mg/l																																				
	Ammonical Nitrogen (as N)	30 mg/l																																				
	Cyanide (as CN)	0.20 mg/l																																				
	Lead (as Pb)	1 mg/l																																				
	Nickel (as Ni)	3 mg/l																																				
	Zinc (as Zn)	15 mg/l																																				
	Arsenic (as As)	0.20 mg/l																																				
Mercury (as Hg)	0.01 mg/l																																					
<p>5</p>	<p>The industry shall maintain Electro Magnetic flow meters with totalisers for water consumption, effluent generation mentioned in the Order.</p>	<p>This is Complied by the Industry</p> <p>Provided Electromagnetic flow meters with totalizers for water & effluent quantity.</p>																																				
<p>6</p>	<p>The industry shall maintain HDPE tanks / tank in tank in the effluent collection tank (both locations at block and common collection point). Free space shall be maintained around the HDPE tanks / Tank in Tank to observe leakages if any.</p>	<p>This is Complied by the industry</p> <p>The industry has provided above ground storage tanks at production blocks and common collection tanks for collection of waste water and sufficient freeboard is being maintained to avoid overflows.</p> <p>Photographs of the same herewith attached as Annexure-7.</p>																																				
<p>7</p>	<p>The LTDS and HTDS effluents shall be stored in above ground collection tanks separately.</p>	<p>This is Complied by the Industry .</p> <p>The industry provided dedicated above ground collection tanks for</p>																																				

		<p>LTDS and HTDS effluents collection.</p> <p>Photographs of the same herewith attached as Annexure-8.</p>
8	<p>Effluents shall not be discharged on land or any water bodies or aquifers under any circumstances. Floor washings shall be admitted into effluent collection system only and shall not be allowed to find their way into storm water drains or open areas.</p>	<p>Condition is Noted by the Industry</p> <p>Generated effluents are being sent to CETP for treatment and disposal.</p> <p>Floor washing carried out through mopping method, hence there is no effluent generated from floor washings.</p>
9	<p>The industry shall provide containers detoxification facility. Container & Container liners shall be detoxified at the specified covered platform with dyke walls and the wash wastewater shall be routed to low TDS collection tank.</p>	<p>This is Complied by the industry</p> <p>Industry has a detoxification facility for containers and liners with covered platform with dyke walls. The wash water generated from the detoxification facility is being routed to low TDS effluent collection tank for disposal to CETP for treatment.</p> <p>Photograph is enclosed at Annexure-09.</p>
10	<p>The industry shall maintain web camera and flow meters provided for HTDS & LTDS pumped to CETP, Ramky properly and same connected to CPCB & APPCB website, as per CPCB directions dt. 05.02.2014 / 02.03.2015.</p>	<p>This is Complied by the Industry.</p> <p>Provided web camera and flow meters with totalizers and connected to APPCB and CPCB server.</p> <p>Photographs of the same herewith attached as Annexure-10.</p>
11	<p>Rain water shall not be allowed to mix with either trade or domestic effluents. Industry shall maintain storm water drains, properly.</p>	<p>Condition is noted by the Industry</p> <p>Dedicated storm water drains are provided to avoid mix up of trade/domestic effluents. The same are being maintained in a proper condition at all times.</p>
12	<p>The industry shall maintain rainwater runoff tank with pump for collection and storage of first flush contaminated storm water and the same shall be sent to CETP for further treatment. The industry shall maintain dry condition in</p>	<p>Condition is Noted and being complied.</p> <p>Industry provided storm water</p>

	outside drains during non-rainy season.	collection tanks for collection first cut storm water and sending the same to CETP for treatment along with LTDS wastewater. Drain is being maintained in dry conditions in non-rainy season.																																		
AIR POLLUTION																																				
13	<p>The emissions shall not contain constituents in excess of the prescribed limits mentioned below.</p> <table border="1" data-bbox="236 562 991 1305"> <thead> <tr> <th>Chimney No</th> <th>Parameter</th> <th>Emission Standards (mg/Nm³)</th> </tr> </thead> <tbody> <tr> <td>1, & 2</td> <td>Particulate Matter</td> <td>100</td> </tr> <tr> <td rowspan="4">3</td> <td>HCL</td> <td>35</td> </tr> <tr> <td>NH₃</td> <td>30</td> </tr> <tr> <td>Sulphuric acid mist</td> <td>50</td> </tr> <tr> <td>Chlorine</td> <td>15</td> </tr> <tr> <td rowspan="8">Tank farm vents</td> <td>HCl</td> <td>35</td> </tr> <tr> <td>NH₃</td> <td>30</td> </tr> <tr> <td>Chlorine</td> <td>15</td> </tr> <tr> <td>Benzene</td> <td>5</td> </tr> <tr> <td>Toulene</td> <td>100</td> </tr> <tr> <td>Acetonitrile</td> <td>1000</td> </tr> <tr> <td>Dichloromethane</td> <td>200</td> </tr> <tr> <td>Xylene</td> <td>100</td> </tr> <tr> <td>Acetone</td> <td>2000</td> </tr> </tbody> </table>	Chimney No	Parameter	Emission Standards (mg/Nm ³)	1, & 2	Particulate Matter	100	3	HCL	35	NH ₃	30	Sulphuric acid mist	50	Chlorine	15	Tank farm vents	HCl	35	NH ₃	30	Chlorine	15	Benzene	5	Toulene	100	Acetonitrile	1000	Dichloromethane	200	Xylene	100	Acetone	2000	<p>This is Complied by the Industry</p> <p>Stack and scrubber monitoring is being carried out for all applicable parameters as per process requirements through NABL accredited laboratory and reports are being submitted to APPCB, RO, Vizag</p> <p>Tank farm vent analysis carried out and monitoring report herewith enclosed as Annexure - 1.</p> <p>Analysis report by the MoEF approved third party laboratory for the month of Nov-2023 are herewith enclosed as Annexure-1 for your ready reference.</p>
Chimney No	Parameter	Emission Standards (mg/Nm ³)																																		
1, & 2	Particulate Matter	100																																		
3	HCL	35																																		
	NH ₃	30																																		
	Sulphuric acid mist	50																																		
	Chlorine	15																																		
Tank farm vents	HCl	35																																		
	NH ₃	30																																		
	Chlorine	15																																		
	Benzene	5																																		
	Toulene	100																																		
	Acetonitrile	1000																																		
	Dichloromethane	200																																		
	Xylene	100																																		
Acetone	2000																																			
14	<p>The industry shall comply with ambient air quality standards of PM₁₀ (Particulate Matter size less than 10µm) – 100 µg/m³, PM 2.5 (Particulate Matter size less than 2.5 µm) - 60µg/m³, SO₂-80µg/m³; NO_x-80µg/m³, NH₃-400µg/m³ outside the factory premises at the periphery of the industry.</p> <p>Standards for other parameters as mentioned in the National Ambient Air Quality Standards CPCB Notification No. B-29016/20/90/PCI-I, dated 18.11.2009</p> <p>Noise levels: Day time (6Am to 10PM)---75db(A) Night time (10PM to 6AM)—70 db(A)</p>	<p>Complied with the condition</p> <p>Industry being carried out AAQ monitoring is through MoEF recognized laboratory on a weekly basis as per NAAQS CPCB Notification No.B-29016/20/90/PCI-I, dated 18.11.2009.</p> <p>Ambient Noise levels are within the limit as stipulated. Monthly Noise monitoring is being carried out by third party.</p> <p>Monthly reports are being submitted to the board analyzed by the MoEF approved 3rd party.</p> <p>Copy of the latest analysis reports are enclosed as Annexure 1.</p>																																		

15	The industry shall comply with emission limits for DG sets capacity up to 800 KW as per the Notification G.S.R. 520(E), dated 01.07.2003 and G.S.R. 448(E) dated on 12.07.2004 under the Environment (Protection) Amendment Rules. In case of DG sets more than 800 KW shall comply with emission limits as per the notification G.S.R. 489(E), dated 09.07.2002 at serial no 96, under the Environment (protection) Act 1986.	<p>This is Complied by the industry</p> <p>Complying with emission standards as per the Notifications for the installed DG sets.</p> <p>Monitoring reports are being submitted to the board. copy enclosed as. Annexure-1 for your reference.</p>
16	The industry shall provide a sampling port with removable dummy of not less than 15cm diameter in the stack at a distance of 8 times the diameter of the stack from the nearest constraint such as bends etc. A platform with suitable ladder shall be provided below 1 meter of sampling port to accommodate three persons with instruments. A 15AMP 250 V plug point shall be provided on the platform.	<p>Condition is noted by the Industry</p> <p>Sampling ports are provided for stacks with a removable dummy of not less than 15 cm diameter. Stack height, sampling point position, platform for sampling and A 15 AMP 250 V plug point provided on the platform as per norms.</p>
17	The industry shall operate the multi stage scrubbers for scrubbing of process emissions at all emission sources. The industry shall maintain online pH meters to the scrubbers. Scrubbed liquid shall be recycled as far as possible and finally sent to CETP of Pharma city for further treatment.	<p>This is Complied by the Industry</p> <p>Industry operating multi stage scrubbers and chemical consumption records are being maintained.</p> <p>Online pH measuring facility with auto recording system provided to the scrubbers to treat the process emissions. Final Scrubber effluents are being sent to CETP along with LTDS wastewater.</p>
18	The industry shall maintain energy meter to APC. The industry shall connect all the vents of the SSR reactors to the scrubber to control process emissions.	<p>Condition is noted by the Industry</p> <p>Based on the process requirement, SS reactors have been connected to Scrubbers.</p> <p>Energy meters provided to all Air pollution control equipment's.</p>
19	The evaporation losses in solvents shall be controlled by taking the following measures: i. Chilled brine circulation to effectively reduce the solvent losses into the atmosphere. ii. Transfer of solvents by using pumps and closed conveyance instead of manual handling. iii. Closed centrifuges are used due to which solvent losses are reduced drastically. iv. The reactor vents connected with primary & secondary	<p>This is Complied by the industry</p> <p>Industry Provided Chilled Brine Circulation System for vent condensers of solvent storage tanks.</p> <p>Solvents transferring is through closed loop system.</p>

	<p>condensers to catch the solvent vapors.</p> <p>v. All the solvent storage tanks are connected with vent condensers to prevent solvent vapors.</p>	<p>Closed centrifuge systems are in place.</p> <p>Solvent storage tanks are connected with vent condensers/Nitrogen blanketing wherever applicable.</p> <p>The reactor vents are connected with primary and secondary condensers. Copy enclosed as Annexure-11.</p>
20	The industry shall not use odor causing substances such as Mercaptan or cause odor nuisance in the surroundings.	<p>This is Complied by the industry</p> <p>No odor causing substances are being used.</p>
21	The industry shall maintain VOC meters with real time data transmission facility through internet of things (IoT) and link to the servers of APPCB.	<p>This is Complied by the industry.</p> <p>Provided online VOC analyzer and connected to APPCB server.</p> <p>Photograph attached as Annexure-12</p>
22	The industry shall install multi gas detectors (such as NH3 and other toxic gases) with data loggers at production block and main gate to know the concentrations in the ambient air in the factory premises.	<p>Condition is noted by the Industry</p> <p>Industry has provided multi gas detectors such as LEL, O2 detectors with auto alarm system.</p>
GENERAL		
23	The industry shall not manufacture new products and not exceeding the production Quantity other than those mentioned in this order without CFE& CFO of the board	<p>Condition is noted by the industry</p>
24	The industry shall comply with the tolerance limits mentioned in MoEF notification dated 09.07.2009 and G.S.R. 541(E) Dt. 06.08.2021 for Bulk Drug and Formulation (Pharmaceutical).	<p>Condition is Noted by the industry and being complied</p> <p>Tank farm vent analysis carried out and monitoring report herewith enclosed as Annexure - 13</p>
25	The industry shall maintain hood on top of the effluent storage tanks and vent connected to the scrubber.	<p>Condition is Noted by the industry and being complied</p> <p>Effluents are being stored in above ground level collection tanks which are covered with hood and hood vent connected to scrubber</p>

		Photograph is enclosed at Annexure-8
26	The industry shall maintain the following records and the same shall be made available to the inspecting officers of the Board: a. Daily production details b. Quantity of Effluents generated, treated, recycled/reused and disposed to CETP. c. Log Books for pollution control systems. d. Characteristics of effluents and emissions. e. Hazardous/non hazardous solid waste generated and disposed. f. Inspection book. g. Manifest copies of effluents / hazardous waste.	Condition is Noted by the industry and being complied
27	The industry shall maintain records on source of intermediates for each product-wise and the consolidated records shall be submitted to R.O., Visakhapatnam for every month along with invoice copies of the intermediates outsourced.	Condition is Noted by the industry and being complied Industry is maintaining the records of source of intermediates for each product wise and consolidated statement will be submitted to the board every month.
28	The industry shall maintain good Housekeeping.	Condition is Noted by the industry and being complied Good housekeeping being followed within the plant premises.
29	Green belt with native species of adequate width and density shall be maintained along the boundary of the industry with minimum area of 33% of total area.	Condition is Noted by the industry and being complied Industry maintained 0.319 Acres greenbelt within the plant premises. However, due to the space constraints within the Site, we have undertaken several greenbelt development activities outside the premises. We have further developed 2.128 Acres of greenbelt in front of our premises in land allotted by JNPC Pharma city. Further, at IALA

		<p>Gajuwaka, a total of 2.624 Acres of greenbelt developed combinedly for Unit-9 & 10. Out of that 50% which amounts to 1.312 Acres is from Unit-9. Hence, a total of 3.75 Acres (56.2%) have been developed by Unit-9.</p> <p>Acknowledgement copy of letter submitted on 12.09.2022 as Annexure-14 for your reference</p>
30	The industry shall comply with the Standard Operating Procedure (SoP) and Checklist of Minimal Requisite Facilities for Utilization of Spent Solvent for Recovery of Solvent specified for Solvent Recovery Units issued by CPCB from time to time. The total cumulative losses of solvents shall not be more than 5% of the solvent on annual basis from storage inventory.	<p>Noted</p> <p>SRP column condenser vent connected to activated carbon bed. Photograph attached as Annexure-15</p> <p>Compliance status submitted to the board via letter dated 13.09.2022 Acknowledgement copy of letter as Annexure-16 for your reference.</p>
31	The industry shall comply with SoP s issued by CPCB time to time for all the wastes.	Condition is Noted by the industry and being complied
32	The industry shall maintain valid PLI policy which includes Environmental Relief Fund (ERF) and submit copy to RO, Visakhapatnam on yearly base.	Condition is Noted by the industry and being complied
33	The industry shall comply with the Regulation of Persistent Organic Pollutants Rules,2018 notified by the MOEF&CC Notification vide G.S.R. 207 (E) dated 30.05.2018. As per the notification, the following 7 chemicals are prohibited to manufacturer, trade, use, import and export: <ul style="list-style-type: none"> i. Chlordecone ii. Hexabromobiphenyl, iii. Hexabromodiphenyl ether and heptabromodiphenyl ether (commercial octa-BDE), iv. Tetrabromodiphenyl ether and pentabromodiphenyl ether (commercial penta-BDE), v. Pentachlorobenzene, vi. Hexabromocyclododecane and vii. Hexachlorobutadine. 	<p>Condition is Noted by the industry</p> <p>Industry not using the 7 chemicals notified as persistent Organic pollutant rules, 2018.</p>
34	The industry shall submit the information regarding usage of Ozone Depleting Substance once in six months to the Board.	Condition is Noted and being complied by the industry ODS consumption is being

		submitted to the board once in 6 months. Acknowledgement copy of submitted to APPCB attached as Annexure-17
35	The industry shall install digital display boards at publicly visible places at the main gate indicating the products manufactured Vs permitted quantities, Treated effluent concentrations Vs discharge standards, Stack emission & AAQ concentrations Vs standards, hazardous waste generation, disposed, stock Vs permitted quantities and validity of CFO; and exhibit the CFO order at a prominent place in the factory premises, as per Hon'ble Supreme Court order by 20.11.2022.	Condition is Noted and being complied Industry provided the digital display board at the main gate of the factory and updating the data periodically. CFO order provided at a prominent place in the factory premises. Photographs are enclosed as Annexure – 18
36	The industry shall submit Half yearly compliance reports to all the stipulated conditions in Environmental Clearance (EC), Consent for Establishment (CFE) and Consent for Operation (CFO) through website i.e., https://pcb.ap.gov.in by 1st of January and 1st July of every year. The first half yearly compliance reports shall be furnished by the industry and second half yearly compliance reports shall be the audited through MoEF & CC recognized and National Accreditation Board for Laboratory Testing (NABL) accredited third party.	Condition is Noted and being complied Industry has submitted reports to all the stipulated conditions in Consent for Establishment (CFE) and Consent for Operation (CFO) through website i.e., https://pcb.ap.gov.in as stipulated. Second half yearly compliance reports being audited by NABL accredited third party and the same is being submitted to the board. Copy of acknowledgment for last report submitted on 15.06.2023 is enclosed as Annexure-19
37	Any other directions / circulars / notices issued by CPCB, MoEF & CC and APPCB File No. APPCB/VSP/VSP/155/HO/CFO/2017 shall be followed from time to time.	This is Noted and followed by the industry
38	The Board reserves its right to modify above conditions or stipulate any further conditions and to take action including revoke of this order in the interest of protection of public health and environment.	This is Noted and followed by the industry
39	The conditions stipulated are without prejudice to the rights and contentions of this Board in any Hon'ble Court of Law.	This is Noted and followed by the industry
Special Conditions		
40	The industry shall submit a copy of the NOC issued by the	This is Complied by the

	Andhra Pradesh State Disaster Response and Fire Service Dept., (APSDRFSD) at concerned Regional Office, APPCB.	industry copy of NOC is enclosed as Annexure-20
41	The industry shall prepare a safety report and carry out an independent safety audit report of the respective industrial activities including chemical storages / isolated storages by an expert not associated with such industrial activity as required under Rule 10 of MSIHC Rules, 1989 and get it approved by the Factories Dept., and submit the compliance along with copy of the safety report, safety audit report and safety certificate at concerned Regional Office, APPCB.	This is Complied by the industry . OSEP Submitted to the board, Off Site Emergency Plan is not applicable to the Unit. Copy of acknowledgment is enclosed as Annexure-21
42	The industry shall extend training to the working personnel for the prevention of accidents and necessary antidotes to ensure safety, as per the MSIHC Rules, 1989.	This is Noted and followed by the industry. Working personnel have been trained on prevention of accident and necessary antidotes.
43	The industry shall carryout calibration of safety equipment and leak detection systems at regular intervals and shall certify the same with the Factories Department. That certified copy shall be submitted to the APPCB, Regional Office.	This is Noted and followed by the industry. Safety equipment and gas detectors are being calibrated through competent third party as per the schedule and calibration reports are being submitted to factories dept. Copy of acknowledgment is enclosed as Annexure-22
44	The industry shall install fluorescent Wind Vane at the highest point in the industry premises.	This is Noted and followed by the industry Installed fluorescent Wind Vane at the highest point in the industry premises.
45	The industry shall submit Risk analysis and risk assessment covering worst scenario clearly describing impact within the industry premises and outside the industry premises and emergency response system.	This is Noted and followed by the industry Risk analysis and risk assessment (HARA report) covering worst scenario carried out and submitted to Fact. Dept, and same shall be submitted to the board. Copy of acknowledgment is enclosed as Annexure-23
46	The industry shall submit the copy of the safety audit report and On-Site / Off Site Emergency Plans as applicable after being certified by the Factories Department to the APPCB, Regional Office from time to time, if the storage quantity of hazardous chemicals is equal to or, in excess of the threshold quantities specified	This is Noted and followed by the industry. OSEP Submitted to the board, Off Site Emergency Plan is not applicable to the Unit. Copy of acknowledgment is

	in schedule 2 & 3 of MSIHC Rules, 1989.	enclosed as Annexure-21
SCHEDULE –C[See rule 6(2)] [CONDITIONS OF AUTHORISATION FOR OCCUPIER OR OPERATOR HANDLING HAZARDOUS WASTES]		
1	The authorized person shall comply with the provisions of the environment protection Act 1986 and the rules made there under	Condition is Noted by the industry.
2	The authorized shall be produced for inspection at the request of an officer authorized by the state pollution control board	Condition is Noted by the industry.
3	The person authorized shall not rent lend sell transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorization	Condition is Noted by the industry.
4	Any authorized change in the personal equipment or working conditions as Mentioned in the application by the person authorized shall constitute a breach of his authorization	Condition is Noted by the industry.
5	The person authorized shall implement Emergency Response procedure (ERP) for which this authorization is being granted considering all site specific possible scenarios such as spillages Leakages fire Etc. and their possible impacts and also carry out mock drill in this regard at regular interval time	Condition is Noted by the industry. Mock drills conducted for site specific possible scenarios such as spillages, leakages, fire etc. at regular interval of time.
6	The person authorized shall comply with the provisions outlined in the CPCB guide lines on “implementing liabilities for environmental damages due to handling of disposal of Hazardous waste and Plenty”	Condition is Noted by the industry.
7	Is the duty of the authorized person to take prior permission of the state pollution control board to close down the facility.	Condition is Noted by the industry.
8	An application for the renewal of an authorization shall be made as Laid down Under these rules	Condition is Noted by the industry.
9	Any other condition for compliance as per the guidelines issued By the Ministry of environment Forest and climate change or CPCB from time to time	Condition is Noted by the industry.
Specific Conditions		
10	The industry shall comply with the provisions of HWM Rules, 2016 in terms of interstate transport of Hazardous Waste and manifest document prescribed Under Rule 18 and 19 of the HWM Rules, 2016.	Condition is Noted by the industry
11	The industry shall not store hazardous waste for more than 90 days as per the Hazardous and Other Wastes (Management & Trans boundary Movement) Rules, 2016.	Condition is Noted by the Industry No Hazardous waste is being

		stored for more than 90 days and minimal stocks are being maintained at site.
12	The industry shall store Used / Waste Oil and Used Lead Acid Batteries in a secured way in their premises till its disposal to the manufacturers / dealers on buyback basis.	This is Complied by the Industry Separate secure compartments are made for storage of Used / Waste Oil and Used Lead Acid Batteries until it disposed Used/Waste oils are being disposed to authorized re-processor only. All the used batteries are disposed in buy back basis to authorized dealers only.
13	The industry shall transport the hazardous waste to cement industries only through vehicle fitted with GPS tracking system.	Condition is Noted by the industry. Hazardous wastes are being disposed to cement industries APPCB online manifest system (APEMCL) through approved transport vehicles having GPS system
14	The industry shall maintain 7 copy manifest system for transportation of waste generated and a copy shall be submitted to concerned Regional Office of APPCB. The driver who transports Hazardous Waste should be well acquainted about the procedure to be followed in case of an emergency during transit. The transporter should carry a Transport Emergency (TREM) Card.	Condition is Noted by the industry. Industry is following APPCB online Manifest system for the disposal of Hazardous waste through APEMCL website as per the board directions. TREM cards are being issued along with Manifest copies to the hazardous waste transport drivers.
15	The industry shall maintain proper records for Hazardous and Other Wastes stated in Authorization in Form-3 i.e., quantity of Incinerable waste, land disposal waste, recyclable waste etc., and file annual returns in Form-4 as per Rule 20 (2) of the Hazardous and Other Wastes (Management & Trans boundary Movement) Rules, 2016.	This is Complied by the industry In house records are being maintained for Hazardous waste generated, disposed and stocks at site in Form-3. Hazardous waste annual returns are being filed to the board in Form-4. Copy of acknowledgment for latest Form-4 submitted herewith is enclosed as Annexure-24 .
16	The industry shall route all the hazardous waste through APEMCL.	Condition is Noted by the Industry Industry is routing all hazardous

		waste through APEMCL
--	--	----------------------

List of Annexures

Annexure No	Description of Annexure
Annexure - 1	Latest Analysis reports
Annexure - 2	Copy of PLI Policy
Annexure – 3	Acknowledgment for the latest Form-V
Annexure – 4	Copy of CFO Amendment
Annexure – 5	Water consumption data June-2023 to Nov-2023
Annexure – 6	Latest waste water Analysis reports for the month of Nov'2023
Annexure – 7	Photographs of Effluent storage tanks at production blocks.
Annexure – 8	Photographs of ETP Above ground effluent storage tanks with hood system
Annexure – 9	Photographs of Detoxification Pumping facility to LTDS effluent tanks
Annexure – 10	Photograph of Web Camera connectivity provided for HTDS and LTDS flow meters
Annexure – 11	Photographs of Condensers & Chillers, Closed centrifuges
Annexure – 12	Photographs of Online VOC monitoring analyzer
Annexure – 13	Monitoring report of Tank farm vent analysis
Annexure – 14	Acknowledgement copy of Green Belt
Annexure – 15	Photographs of SRP column vents connected to Activated Carbon Bed
Annexure – 16	Acknowledgement of copy of SRP recovery solvents of 5% loss
Annexure – 17	Acknowledgement copy of ODS submission copy
Annexure – 18	Photograph of Digital Display Board at Main Gate
Annexure – 19	Acknowledgement copy of latest Half-yearly compliance report
Annexure – 20	Copy of NOC

Annexure – 21	Acknowledgement copy of Onsite Emergency Plan
Annexure – 22	Acknowledgement copy of Safety equipment and gas detectors calibration report
Annexure – 23	Risk Analysis scenario (HARA) report submission PCB Acknowledgment copy.
Annexure – 24	Acknowledgement copy of HW Annual Returns (Form-4) Submission

ANNEXURE - 1
Latest Analysis reports



LAWN ENVIRO ASSOCIATES

[Engineers & Consultants in Pollution Control]

Recognised by Ministry of Environment Forest & Climate Change (MoEF & CC), GOI, New Delhi
& Laboratory Accredited by NABL

ISO 9001, 14001 & 45001
CERTIFIED COMPANY

TEST REPORT

REF.NO: LAWN/MYLAN-9/2023

Date: 04-12-2023

AMBIENT AIR QUALITY DATA

Name of the Industry & Address : **M/s. MYLAN LABORATORIES LIMITED (UNIT-9),**
Plot No:5, Road No:12, JN Pharma City, Parawada (V),
Vishakapatnam (Dist) - 531 021.

Location	ETP Area	Fire Hydrant Area	MB-I Area	LIMIT	PROTOCOL
1. Date of sampling	: 25-11-2023	25-11-2023	25-11-2023	--	---
2. Total time of monitoring	: 24 hr	24 hr	24 hr	--	---
3. Average flow rate (cum/m)	: 1.13	1.04	1.06	--	---
4. Particulate Matter Concentration ($\mu\text{g}/\text{m}^3$)-PM ₁₀	: 56	37	43	100	IS:5182 (Part-23); 2017
5. Particulate Matter Concentration ($\mu\text{g}/\text{m}^3$)-PM _{2.5}	: 24	17	22	60	IS:5182 (Part-24); 2019
6. Sulphur Dioxide (SO ₂) Concentration ($\mu\text{g}/\text{m}^3$)	: 14	08	11	80	IS:5182 (Part-2); 2018
7. Nitrogen Dioxide (NO ₂) Concentration ($\mu\text{g}/\text{m}^3$)	: 23	17	26	80	IS:5182 (Part-6); 2017
8. Lead (Pb) Concentration ($\mu\text{g}/\text{m}^3$)	: 0.16	0.11	0.14	1.0	IS:5182 (Part-22); 2019
9. Carbon monoxide (Co) Concentration (mg/m^3)	: 1.10	0.83	0.90	2.0	IS:5182 (Part-10); 2019
10. Ammonia (NH ₃) Concentration ($\mu\text{g}/\text{m}^3$)	: 52	45	40	400	IS:5182 (Part-25); 2018
11. Ozone (O ₃) Concentration ($\mu\text{g}/\text{m}^3$)	: 08	04	06	100	IS:5182 (Part-9); 2019
12. Benzene (C ₆ H ₆) Concentration ($\mu\text{g}/\text{m}^3$)	: <0.02	<0.02	<0.02	05	IS:5182 (Part-11); 2017
13. Arsenic (As) Concentration (ng/m^3)	: ND	ND	ND	06	NAAQMS/ 36/2012-13
14. Nickel (Ni) Concentration (ng/m^3)	: ND	ND	ND	20	IS:5182 (Part-26); 2020
15. Benzo pyrene (Bap) Particulate phase Concentration (ng/m^3)	: ND	ND	ND	01	NAAQMS/ 36/2012-13

1. RESPIRABLE DUST SAMPLER MODEL / SL NO. RDS 9000 / 070706, CALIBRATED ON 17-05-2023, DUE ON 16-05-2024
2. RESPIRABLE DUST SAMPLER MODEL / SL NO. RDS 9000 / 070707, CALIBRATED ON 17-05-2023, DUE ON 16-05-2024
3. RESPIRABLE DUST SAMPLER MODEL / SL NO. RDS 9000 / 060132, CALIBRATED ON 31-12-2022, DUE ON 30-12-2023


AUTHORISED SIGNATORY

Head Office : "LAWN HOUSE", #184-C, Vengalrao Nagar, Hyderabad - 500 038. (T.S.) INDIA. Tel : 040-66730925, 66730926, Fax : 040-66730926

Branch Office : D.No.31-58-103, MIG-71, Phase-7, Road No.4/4, Dwarakapuri Colony, Kurmanapalem, Vishakhapatnam-530046.Tel : 9701505182

E-mail : lawnenviro@yahoo.co.in, Website : www.lawnenviro.com



ISO 9001, 14001 & 45001
CERTIFIED COMPANY

LAWN ENVIRO ASSOCIATES

[Engineers & Consultants in Pollution Control]

Recognised by Ministry of Environment Forest & Climate Change (MoEF & CC), GOI, New Delhi
& Laboratory Accredited by NABL

TEST REPORT

REF.NO: LAWN/MYLAN-9/2023

Date: 04-12-2023

STACK MONITORING DATA

Name of the Industry & Address : **M/s. MYLAN LABORATORIES LIMITED (UNIT-9),**
Plot No:5, Road No:12, JN Pharma City, Parawada (V),
Vishakapatnam (Dist) - 531 021.

Sample Particulars : Stack attached to the Coal fired boiler (6 TPH)
Date of Collection : 26-11-2023

PROTOCOL


1. Stack diameter (m)	:	1.00	--
2. Stack cross sectional area (sq m)	:	0.785	--
3. Flue gas temperature ($^{\circ}$ C)	:	123	IS:11255 (Part-3); 2018
4. Exit velocity of flue gases (m/sec)	:	5.40	IS:11255 (Part-3); 2018
5. Flow rate (cum/hr)	:	15,260	IS:11255 (Part-3); 2018

EMISSION DATA

LIMIT

6. Suspended particulate matter Concentration (mg/N m ³)	:	40.20	<100	IS:11255 (Part-1); 2019
7. Sulphur dioxide Concentration (mg/N m ³)	:	290	---	IS:11255 (Part-2); 2019
8. Oxides of nitrogen Concentration (mg/N m ³)	:	85	---	IS:11255 (Part-7); 2017

STACK MONITORING KIT : MODEL NO: APM-160/SI. No. 13-DTC-2012, Calibrated On 01-04-2023, Due On 31-03-2024
M/s. LATA ENVIROTECH SERVICES.


AUTHORISED SIGNATORY

Head Office : "LAWN HOUSE", #184-C, Vengalrao Nagar, Hyderabad - 500 038. (T.S.) INDIA. Tel : 040-66730925, 66730926, Fax : 040-66730926

Branch Office : D.No.31-58-103, MIG-71, Phase-7, Road No.4/4, Dwarakapuri Colony, Kurmanapallem, Vishakhapatnam-530046.Tel : 9701505182

E-mail : lawnenviro@yahoo.co.in, Website : www.lawnenviro.com



ISO 9001, 14001 & 45001
CERTIFIED COMPANY

LAWN ENVIRO ASSOCIATES

[Engineers & Consultants in Pollution Control]

Recognised by Ministry of Environment Forest & Climate Change (MoEF & CC), GOI, New Delhi
& Laboratory Accredited by NABL

TEST REPORT

REF.NO: LAWN/MYLAN-9/2023

Date: 04-12-2023

STACK MONITORING DATA

Name of the Industry & Address : **M/s. MYLAN LABORATORIES LIMITED (UNIT-9),**
Plot No:5, Road No:12, JN Pharma City, Parawada (V),
Vishakapatnam (Dist) - 531 021.

Sample Particulars : Stack attached to the 1250 KVA D.G. Set (More than 800 kW)
Date of Collection : 26-11-2023

PROTOCOL

1. Stack diameter (m)	:	0.35	--
2. Stack cross sectional area (sq m)	:	0.096	--
3. Flue gas temperature ($^{\circ}$ C)	:	268	IS:11255 (Part-3); 2018
4. Exit velocity of flue gases (m/sec)	:	16.05	IS:11255 (Part-3); 2018
5. Flow rate (cum/hr)	:	5,547	IS:11255 (Part-3); 2018

EMISSION DATA

LIMIT

6. Particulate matter Concentration (mg/N m ³)	:	60	<75	IS:11255 (Part-1); 2019
7. Oxides of Nitrogen Concentration (ppmv)	:	255	<710	IS:11255 (Part-7), 2017
8. Carbon monoxide (CO) Concentration (mg/N m ³)	:	48	<150	USEPA Method 3
9. Non-Methane Hydrocarbons as C Concentration (mg/N m ³)	:	04	<100	USEPA Method 3

STACK MONITORING KIT : MODEL NO: APM-160/SI. No. 13-DTC-2012, Calibrated On 01-04-2023, Due On 31-03-2024
M/s. LATA ENVIROTECH SERVICES.,


AUTHORISED SIGNATORY

Head Office : "LAWN HOUSE", #184-C, Vengalrao Nagar, Hyderabad - 500 038. (T.S.) INDIA. Tel : 040-66730925, 66730926, Fax : 040-66730926

Branch Office : D.No.31-58-103, MIG-71, Phase-7, Road No.4/4, Dwarakapuri Colony, Kurmanapallem, Vishakhapatnam-530046.Tel : 9701505182

E-mail : lawnenviro@yahoo.co.in, Website : www.lawnenviro.com



ISO 9001, 14001 & 45001
CERTIFIED COMPANY

LAWN ENVIRO ASSOCIATES

[Engineers & Consultants in Pollution Control]

Recognised by Ministry of Environment Forest & Climate Change (MoEF & CC), GOI, New Delhi
& Laboratory Accredited by NABL

TEST REPORT

REF.NO: LAWN/MYLAN-9/2023

Date: 04-12-2023

STACK MONITORING DATA

Name of the Industry & Address : **M/s. MYLAN LABORATORIES LIMITED (UNIT-9),**
Plot No:5, Road No:12, JN Pharma City, Parawada (V),
Vishakapatnam (Dist) - 531 021.

Sample Particulars : Stack attached to the 1500 KVA D.G. Set (More than 800kW)
Date of Collection : 26-11-2023

PROTOCOL

1. Stack diameter (m)	:	0.35	--
2. Stack cross sectional area (sq m)	:	0.096	--
3. Flue gas temperature ($^{\circ}$ C)	:	280	IS:11255 (Part-3); 2018
4. Exit velocity of flue gases (m/sec)	:	17.86	IS:11255 (Part-3); 2018
5. Flow rate (cum/hr)	:	6,172	IS:11255 (Part-3); 2018

EMISSION DATA

LIMIT

6. Particulate matter Concentration (mg/N m ³)	:	64	<75	IS:11255 (Part-1); 2019
7. Oxides of Nitrogen Concentration (ppmv)	:	287	<710	IS:11255 (Part-7), 2017
8. Carbon monoxide (CO) Concentration (mg/N m ³)	:	53	<150	USEPA Method 3
9. Non-Methane Hydrocarbons as C Concentration (mg/N m ³)	:	06	<100	USEPA Method 3

STACK MONITORING KIT: MODEL NO: APM-160/SI. No. 13-DTC-2012, Calibrated On 01-04-2023, Due On 31-03-2024
M/s. LATA ENVIROTECH SERVICES.,


AUTHORISED SIGNATORY

Head Office : "LAWN HOUSE", #184-C, Vengalrao Nagar, Hyderabad - 500 038. (T.S.) INDIA. Tel : 040-66730925, 66730926, Fax : 040-66730926

Branch Office : D.No.31-58-103, MIG-71, Phase-7, Road No.4/4, Dwarakapuri Colony, Kurmanapallem, Vishakhapatnam-530046.Tel : 9701505182

E-mail : lawnenviro@yahoo.co.in, Website : www.lawnenviro.com



ISO 9001, 14001 & 45001
CERTIFIED COMPANY

LAWN ENVIRO ASSOCIATES

[Engineers & Consultants in Pollution Control]

Recognised by Ministry of Environment Forest & Climate Change (MoEF & CC), GOI, New Delhi
& Laboratory Accredited by NABL

TEST REPORT

REF.NO: LAWN/MYLAN-9/2023

Date: 04-12-2023

STACK MONITORING DATA

Name of the Industry & Address : **M/s. MYLAN LABORATORIES LIMITED (UNIT-9),**
Plot No:5, Road No:12, JN Pharma City, Parawada (V),
Vishakapatnam (Dist) - 531 021.

	*I	*II	*III	*IV	*V	PROTOCOL
1. Date of sampling	: 25-11-2023	25-11-2023	26-11-2023	26-11-2023	25-11-2023	---
2. Stack diameter (m)	: 0.16	0.16	0.16	0.35	0.35	---
3. Stack cross sectional area (sq m)	: 0.020	0.020	0.020	0.096	0.096	---
4. Flue gas temperature (°C)	: 36	41	35	40	38	IS:11255 (Part-3); 2018
5. Exit velocity of flue gases (m/sec)	: 5.14	4.76	4.60	5.32	4.50	IS:11255 (Part-3); 2018
6. Flow rate (cum/hr)	: 370	343	331	1,839	1,555	IS:11255 (Part-3); 2018

EMISSION DATA

LIMIT

7. Hydrochloric Acid Concentration (mg/N m³) : 05 10 08 13 06 <35 CPCB Manual

Note : *I Stack attached to the Scrubber - MB-1

*II Stack attached to the Scrubber - MB-2

*III Stack attached to the Scrubber - MB-3

*IV Stack attached to the Scrubber - SRP

*V Stack attached to the Scrubber - ETP

STACK MONITORING KIT : MODEL NO: APM-160/SI. No. 13-DTC-2012, Calibrated On 01-04-2023, Due On 31-03-2024
M/s. LATA ENVIROTECH SERVICES.,


AUTHORISED SIGNATORY



ISO 9001, 14001 & 45001
CERTIFIED COMPANY

LAWN ENVIRO ASSOCIATES

[Engineers & Consultants in Pollution Control]

Recognised by Ministry of Environment Forest & Climate Change (MoEF & CC), GOI, New Delhi
& Laboratory Accredited by NABL

TEST REPORT

REF.NO: LAWN/MYLAN-9/2023

Date: 04-12-2023

STACK MONITORING DATA

Name of the Industry & Address : **M/s. MYLAN LABORATORIES LIMITED (UNIT-9),**
Plot No:5, Road No:12, JN Pharma City, Parawada (V),
Vishakapatnam (Dist) - 531 021.

Sample Particulars : Stack attached to the Scrubber – MB – 3 (Hcl Tank Area)
Date of Sampling : 26-11-2023

PROTOCOL

1. Stack diameter (m)	: 0.15	--
2. Stack cross sectional area (sq m)	: 0.0176	--
3. Flue gas temperature (°C)	: 40	IS:11255 (Part-3); 2018
4. Exit velocity of flue gases (m/sec)	: 4.87	IS:11255 (Part-3); 2018
5. Flow rate (cum/hr)	: 308	IS:11255 (Part-3); 2018

EMISSION DATA

LIMIT

6. Hydrochloric Acid Concentration (mg/N m ³)	: 11	<35	CPCB Manual
---	------	-----	-------------

STACK MONITORING KIT : MODEL NO: APM-160/SI. No. 13-DTC-2012, Calibrated On 01-04-2023, Due On 31-03-2024
M/s. LATA ENVIROTECH SERVICES.,


AUTHORISED SIGNATORY



ISO 9001, 14001 & 45001
CERTIFIED COMPANY

LAWN ENVIRO ASSOCIATES

[Engineers & Consultants in Pollution Control]

Recognised by Ministry of Environment Forest & Climate Change (MoEF & CC), GOI, New Delhi
& Laboratory Accredited by NABL

TEST REPORT

REF.NO: LAWN/MYLAN-9/2023

Date: 04-12-2023

STACK MONITORING DATA

Name of the Industry & Address : **M/s. MYLAN LABORATORIES LIMITED (UNIT-9),**
Plot No:5, Road No:12, JN Pharma City, Parawada (V),
Vishakapatnam (Dist) - 531 021.

Sample Particulars : Stack attached to the Scrubber – MB-05
Date of Sampling : 25-11-2023

PROTOCOL

1. Stack diameter (m)	: 0.40	--
2. Stack cross sectional area (sq m)	: 0.125	--
3. Flue gas temperature (°C)	: 38	IS:11255 (Part-3); 2018
4. Exit velocity of flue gases (m/sec)	: 5.54	IS:11255 (Part-3); 2018
5. Flow rate (cum/hr)	: 2,493	IS:11255 (Part-3); 2018

EMISSION DATA

LIMIT

6. Hydrochloric Acid Concentration (mg/N m ³)	: 09	<35	CPCB Manual
---	------	-----	-------------

STACK MONITORING KIT : MODEL NO: APM-160/SI. No. 13-DTC-2012, Calibrated On 01-04-2023, Due On 31-03-2024
M/s. LATA ENVIROTECH SERVICES.,


AUTHORISED SIGNATORY

Head Office : "LAWN HOUSE", #184-C, Vengalrao Nagar, Hyderabad - 500 038. (T.S.) INDIA. Tel : 040-66730925, 66730926, Fax : 040-66730926

Branch Office : D.No.31-58-103, MIG-71, Phase-7, Road No.4/4, Dwarakapuri Colony, Kurmanapallem, Vishakhapatnam-530046.Tel : 9701505182

E-mail : lawnenviro@yahoo.co.in, Website : www.lawnenviro.com



ISO 9001, 14001 & 45001
CERTIFIED COMPANY

LAWN ENVIRO ASSOCIATES

[Engineers & Consultants in Pollution Control]

Recognised by Ministry of Environment Forest & Climate Change (MoEF & CC), GOI, New Delhi
& Laboratory Accredited by NABL

TEST REPORT

REF.NO: LAWN/MYLAN-9/2023

Date: 04-12-2023

STACK MONITORING DATA

Name of the Industry & Address : **M/s. MYLAN LABORATORIES LIMITED (UNIT-9),**
Plot No:5, Road No:12, JN Pharma City, Parawada (V),
Vishakapatnam (Dist) - 531 021.

Sample Particulars : Stack attached to the Scrubber – Hcl Tank Storage Area (SB-802)
Date of Sampling : 25-11-2023

PROTOCOL


1. Stack diameter (m)	: 0.15	--
2. Stack cross sectional area (sq m)	: 0.0176	--
3. Flue gas temperature (°C)	: 41	IS:11255 (Part-3); 2018
4. Exit velocity of flue gases (m/sec)	: 5.10	IS:11255 (Part-3); 2018
5. Flow rate (cum/hr)	: 323	IS:11255 (Part-3); 2018

EMISSION DATA

LIMIT

6. Hydrochloric Acid Concentration (mg/N m ³)	: 04	<35	CPCB Manual
---	------	-----	-------------

STACK MONITORING KIT : MODEL NO: APM-160/SI. No. 13-DTC-2012, Calibrated On 01-04-2023, Due On 31-03-2024
M/s. LATA ENVIROTECH SERVICES.,


AUTHORISED SIGNATORY



ISO 9001, 14001 & 45001
CERTIFIED COMPANY

LAWN ENVIRO ASSOCIATES

[Engineers & Consultants in Pollution Control]

Recognised by Ministry of Environment Forest & Climate Change (MoEF & CC), GOI, New Delhi
& Laboratory Accredited by NABL

TEST REPORT

REF.NO: LAWN/MYLAN-9/2023

Date: 04-12-2023

STACK MONITORING DATA

Name of the Industry & Address : **M/s. MYLAN LABORATORIES LIMITED (UNIT-9),**
Plot No:5, Road No:12, JN Pharma City, Parawada (V),
Vishakapatnam (Dist) - 531 021.

Sample Particulars : Stack attached to the Scrubber – Warehouse (SB-801)
Date of Sampling : 25-11-2023

PROTOCOL

1. Stack diameter (m)	: 0.20	--
2. Stack cross sectional area (sq m)	: 0.0314	--
3. Flue gas temperature (°C)	: 39	IS:11255 (Part-3); 2018
4. Exit velocity of flue gases (m/sec)	: 4.93	IS:11255 (Part-3); 2018
5. Flow rate (cum/hr)	: 557	IS:11255 (Part-3); 2018

EMISSION DATA

LIMIT

6. Hydrochloric Acid Concentration (mg/N m ³)	: 06	<35	CPCB Manual
---	------	-----	-------------

STACK MONITORING KIT : MODEL NO: APM-160/SI. No. 13-DTC-2012, Calibrated On 01-04-2023, Due On 31-03-2024
M/s. LATA ENVIROTECH SERVICES.,


AUTHORISED SIGNATORY



ISO 9001, 14001 & 45001
CERTIFIED COMPANY

LAWN ENVIRO ASSOCIATES

[Engineers & Consultants in Pollution Control]

Recognised by Ministry of Environment Forest & Climate Change (MoEF & CC), GOI, New Delhi
& Laboratory Accredited by NABL

TEST REPORT

REF.NO: LAWN/MYLAN-9/2023

Date: 04-12-2023

WASTE WATER ANALYSIS

Name of the Industry & Address : **M/s. MYLAN LABORATORIES LIMITED (UNIT-9),**
Plot No:5, Road No:12, JN Pharma City, Parawada (V),
Vishakapatnam (Dist) - 531 021.

Sample Particulars : High TDS Effluent (Before Treatment)
Date of Collection : 26-11-2023
Date of Analysis : 27-11-2023
PROTOCOL : A. P. H. A 23rd Edition

1. pH	:	8.43
2. Total dissolved solids	:	38,125
3. Total Suspended solids	:	1,314
4. Chemical oxygen demand	:	46,056
5. Biochemical oxygen demand (3 days at 27 °C)	:	15,100
6. Chlorides as Cl	:	12,934
7. Sulphates as So ₄	:	6,875
8. Oil & Grease	:	3.70

Note: All the values except pH are expressed in mg/L.


AUTHORISED SIGNATORY



ISO 9001, 14001 & 45001
CERTIFIED COMPANY

LAWN ENVIRO ASSOCIATES

[Engineers & Consultants in Pollution Control]

Recognised by Ministry of Environment Forest & Climate Change (MoEF & CC), GOI, New Delhi
& Laboratory Accredited by NABL

TEST REPORT

REF.NO: LAWN/MYLAN-9/2023

Date: 04-12-2023

WASTE WATER ANALYSIS

Name of the Industry & Address : **M/s. MYLAN LABORATORIES LIMITED (UNIT-9),**
Plot No:5, Road No:12, JN Pharma City, Parawada (V),
Vishakapatnam (Dist) - 531 021.

Sample Particulars : LTDS Effluent - Before Treatment (Before lifting to CETP) - M/s. Ramky PharmaCity
Date of Collection : 26-11-2023
Date of Analysis : 27-11-2023

		Limits prescribed by CETP	
1. pH	:	7.42	6.5 – 8.5
2. Temperature °C	:	28	45
3. Total dissolved solids	:	3,370	12,000
4. Total suspended solids	:	396	600
5. Biochemical Oxygen Demand (3 days at 27 °C)	:	2,545	3,000
6. Chemical Oxygen demand	:	6,734	8,000
7. Oil & Grease	:	2.90	20
8. Chromium Hexavalent as Cr+6	:	0.06	2.0
9. Chromium (Total) as Cr	:	0.23	2.0
10. Ammonical Nitrogen as N	:	16	30
11. Cyanide as CN	:	BDL	0.20
12. Lead as Pb	:	0.19	1.0
13. Nickel as Ni	:	0.25	3.0
14. Zinc as Zn	:	1.26	15
15. Arsenic as As	:	BDL	0.20
16. Mercury as Hg	:	BDL	0.01

Note: 1. All values except pH are expressed in mg/L.
2. BDL - Below Detectable Limit.


AUTHORISED SIGNATORY

Head Office : "LAWN HOUSE", #184-C, Vengalrao Nagar, Hyderabad - 500 038. (T.S.) INDIA. Tel : 040-66730925, 66730926, Fax : 040-66730926

Branch Office : D.No.31-58-103, MIG-71, Phase-7, Road No.4/4, Dwarakapuri Colony, Kurmanapallem, Vishakhapatnam-530046. Tel : 9701505182

E-mail : lawnenviro@yahoo.co.in, Website : www.lawnenviro.com



ISO 9001, 14001 & 45001
CERTIFIED COMPANY

LAWN ENVIRO ASSOCIATES

[Engineers & Consultants in Pollution Control]

Recognised by Ministry of Environment Forest & Climate Change (MoEF & CC), GOI, New Delhi
& Laboratory Accredited by NABL

TEST REPORT

REF.NO: LAWN/MYLAN-9/2023

Date: 04-12-2023

AMBIENT NOISE QUALITY DATA

Name of the Industry & Address : **M/s. MYLAN LABORATORIES LIMITED (UNIT-9),**
Plot No:5, Road No:12, JN Pharma City, Parawada (V),
Vishakapatnam (Dist) - 531 021.

Location	:	Levels in dB (A)	
		Day Time	Night Time
1. Security	:	59.40	54.60
2. Boiler Area	:	67.60	62.30
3. D.G. Set Area	:	69.20	64.80
4. MB-3 Area	:	65.90	60.20
5. MB-2 Area	:	64.70	59.50

- Note:
1. Noise levels are monitored on 26-11-2023.
 2. Instrument make - Lutron SL – 4001 / G-49271, Calibrated On 22-02-2023, Due On 21-02-2024.
 3. Day time is reckoned in between 6.0 am and 10.0 pm; Limit <75.0 dB (A)
 4. Night time is reckoned in between 10.0 pm and 6.0 am; Limit <70.0 dB (A)

AUTHORISED SIGNATORY

ANNEXURE - 2
Copy of PLI Policy

Date: 13/01/2023

MYLAN LABORATORIES LIMITED
PLOT NO 564-A-22, ROAD NO 92, JUBILEE HILLS, HYDERABAD
HYDERABAD - 500096
HYDERABAD
TELANGANA
INDIA
36AADCM3491M3Z0(GSTIN Number)

Policy No : 0304009649
Renewal : 00
Endorsement : 00

Dear Sir / Madam,

We thank you for choosing **Tata AIG General Insurance Company Ltd.** as your preferred insurer. Your Policy No. Is 0304009649 00 00.

We are glad that you have chosen our product **PUBLIC LIABILITY ACT** and given us an opportunity to be your risk carrier for this Product.

'Casualty Line' caters to most of the Enterprises / Industries in India, whether Large, Medium or Small. As one of the India's most established insurance companies, we understand these unique needs of coverage. At Tata AIG we care for you and would strive to offer convenience coupled with a range of products that cater continuously to your ever increasing needs.

Enclosed please find your policy docket based on the information furnished by you in the Proposal.

We look forward to a long and mutually beneficial relationship and providing you wider range of benefits in the years to come.

Yours Sincerely,
For Tata AIG General Insurance Company Limited



Authorized Signatory

**PUBLIC LIABILITY ACT POLICY
POLICY SCHEDULE**

Agent/Broker Name -MARSH INDIA INSURANCE BROKERS PVT LTD

Agent/Broker License Code - 120:Agent/Broker :Contact No - 022-66512947 (mobile or landline)

Attaching to and forming part of Policy No. 0304009649 00 00
Name of Insured Owner: MYLAN LABORATORIES LIMITED
Business: Trading of pharmaceutical products, rendering business support services and research and development services to group companies
Address: PLOT NO 564-A-22, ROAD NO 92, JUBILEE HILLS, HYDERABAD
HYDERABAD - 500096
HYDERABAD
TELANGANA
INDIA
36AADCM3491M3Z0(GSTIN Number)
Place of supply -TELANGANA
State code -36
Territorial limits: Anywhere in India

Policy Period: From: 01/01/2023 12:00 AM/ PM
To Midnight of: 31/12/2023 12:00 AM/ PM

Indemnity limit:Rs 50,000,000.00 in respect of any one accident and not exceeding 3 times thereof in the aggregate during the policy period.

Service Tax Registration No:

Premium	₹ 16,761.00
UGST/SGST @9 %	₹ 1,508.00
CGST @9 %	₹ 1,508.00

**Contribution to the
Environment Relief Fund:₹ 16,761.00**

Date of Proposal and declaration:01/01/2023

In witness whereof the undersigned being duly authorized by the company and on behalf of the company has hereto set his hand at HYDERABAD on 13/01/2023

The stamp duty of 0.5 paid in cash or demand draft or by pay order, vide Receipt/Challan no: LOA-NO.CSD/458/2022/3983 dated the 13/09/2022

For Tata AIG General Insurance Company Limited



Authorized Signatory

Date :13/01/2023
Place :HYDERABAD

Policy Servicing Office
Tata AIG General Insurance Company Limited
5TH AND 6TH FLOOR, IMPERIAL TOWERS,, H.NO 7-1-6-617/A, GHMC NO - 615,616,,HYDERABAD,TELANGANA, HYDERABAD-500016
Tel No:91-44-66864900

RECEIPT

Receipt No. : 106001042110795

Receipt Date : 13/01/2023

Policy No : 0304009649 00 00

Received with thanks from MYLAN LABORATORIES LIMITED a sum of ₹ **36,538.00** (Rupees Thirty Six Thousand Five Hundred Thirty Eight And Paise Zero Only)

Sr. No.	Policy Number	Total Premium (₹)	Utilized from the receipt for policy (₹)	Balance (₹)
1	0304009649 00 00	36,538.00	36,538.00	0.00

Note:

1. This is a computer generated receipt and does not require a signature.
2. Upon issuance of this Receipt, all previously issued temporary receipts, if any, related to this Policy shall be considered null and void.
3. Amounts received by cheque shall be subject to realisation.
4. Any amount received in excess of the Premium is being/shall be refunded by the Company.

GSTIN : 36AABCT3518Q1ZX - TELANGANA Service Accounting Code : 997139

Insurance is the subject matter of the solicitation. For more details on risk factors, terms and conditions, please read sales brochure carefully before concluding a sale.
TATA AIG General Insurance Company Ltd. Regd. Office: 15th floor, Tower A, Peninsula Business Park, Ganpatrao Kadam Marg, Off Senapati Bapat Marg, Lower Parel, Mumbai- 400 013.

IRDA Registration No.108, CIN No : U85110MH2000PLC128425, PAN : AABCT3518Q
Website: www.tataaig.com 24X7 Tollfree Helpline 1800-266-7780 E-mail: customersupport@tataaig.com

**LIABILITY INSURANCE POLICY
(UNDER PUBLIC LIABILITY INSURANCE ACT 1991)**

1. OPERATIVE CLAUSE

Whereas the Insured Owner named in the schedule hereto and carrying on business described in the said schedule has applied to the Tata AIG General Insurance Company Limited (hereinafter called the Company) for the indemnity hereinafter contained and has made a written proposal and declaration which shall be the basis of this contract and is deemed to be incorporated herein and has paid the premium and statutory contribution towards the Environment Relief Fund as per the provisions of the Public Liability Insurance Act and the rules framed thereunder.

NOW THIS POLICY WITNESSETH that subject to the terms, exceptions and conditions contained herein or endorsed hereon, the company will indemnify the insured owner against the statutory liability arising out of accidents occurring during the currency of the policy due to handling hazardous substances as provided for in the said Act and the Rules framed thereunder.

2. DEFINITIONS:

- a) "ACT" unless otherwise specifically mentioned shall mean the Public Liability Insurance Act 1991 as amended from time to time;
- b) "Accident" means an accident involving a fortuitous, sudden or unintentional occurrence while handling any hazardous substance resulting in continuous, intermittent or repeated exposure to death of, or injury to any person or damage to any property but does not include an accident by reason only of war or radioactivity;
- c) "Handling" in relation to any hazardous substance means the manufacture, processing, treatment, package, storage, transportation by vehicle, use, collection, destruction, conversion, offering for sale, transfer or the like of such hazardous substance;
- d) "Hazardous Substance" means any substance or preparation which is defined as hazardous substance under the Environment (Protection) Act, 1986, and exceeding such quantity as may be specified, by notification, by the Central Government;
- e) "Owner" means a person who owns, or has control over handling any hazardous substance at the time of accident and includes:
- i) in the case of a firm any of its partners;
 - ii) in the case of an association, any of its members, and
 - iii) in the case of a company, any of its directors, managers, secretaries or other officers who is/are directly in charge of, and is/are responsible to the company for the conduct of the business of the company;
- f) "Turnover" shall mean
- i) Manufacturing units-Annual Gross Sales of all goods including all levies and taxes
 - ii) Godowns/ warehouse owners-Total Annual rental receipts.
 - iii) Transport Operators-Total Annual freight receipts.
 - iv) Others-Total Annual gross receipts.

3. EXCLUSIONS:

- (1) arising out of wilful or intentional non-compliance of any Statutory provisions.
- (2) in respect of fines, penalties, punitive and/or exemplary damages.
- (3) arising under any other legislation except in so far as provided for in Section 8 Sub Section (1) and (2) of the Act.
- (4) in respect of damage to property owned, leased or hired or under hire purchase or on loan to the Insured or otherwise in the Insured Owner's control, care or custody.
- (5) directly or indirectly occasioned by, happening through or in consequence of war, invasion, act of foreign enemy, hostilities (whether war be declared or not), civil war, rebellion, revolution, insurrection or military or usurped power;
- (6) directly or indirectly caused by or contributed to by.
 - (a) ionising radiation or contamination by radioactivity from any nuclear fuel or from any nuclear waste from the combustion of nuclear fuel
 - (b) the radioactive, toxic, explosive or other hazardous properties of any explosive nuclear assembly or nuclear component thereof.

4. CONDITIONS:

The Insured owner shall give written notice to the Company as soon as reasonably practicable of any claim made against the Insured Owner or of any specific event or (1) circumstance that may give rise to a claim. The Insured Owner shall immediately give to the Company copies of notice of applications forwarded by the Collector and all

such additional information and or assistance that the company may require.

- (2) No admission, offer, promise or payments shall be made or given by or on behalf of the Insured owner under this policy without the written consent of the Company.
 - (3) The Company shall not be liable for any claim for relief made after five years from the date of occurrence of the accident.
 - (4) The Insured Owner shall keep record of annual turnover, and at the time of renewal of insurance declare such turnover and all other details as may be required by the Company. The Company shall at all reasonable times have full rights to call for and examine such records.
 - (5) If at the time of happening of any accident resulting in a claim under this policy there be any other insurance covering the same liability, then the Company shall not be liable to pay or contribute more than its ratable proportion of such liability.
 - (6) This policy may be cancelled by the Insured Owner by giving 30 days notice in writing to the company in which event the Company will retain premium at short period scale subject to there not having occurred an accident during the policy period which may give rise to a claims(s), failing which no refund of premium shall be allowable.
 - (7) This Policy may also be cancelled by the Insurer by giving 30 days notice in writing to the Insured Owner in which event the Company shall be liable to repay on demand a ratable proportion of the premium for the unexpired term from the date of cancellation.
- If the Company shall disclaim liability to the Insured Owner for any claim hereunder and such claim shall not within 12 calendar months from the date of such disclaimer
- (8) have been made the subject matter of a suit in a competent court of law, then the claim for the practical purposes shall be deemed to have been abandoned and shall not thereafter be recoverable hereunder or be made the subject matter of any suit.
- The Company shall not be liable to make any payment in respect of any claim if such claim shall be in any manner fraudulent or supported, by any person on behalf of the
- (9) Insured Owner and/or if the insurance has been continued in consequence of any material misstatement or non-disclosure of any material information by or on behalf of the Insured Owner. In such a case if the Company pays any amount to the claimant due to any statutory provision such amount shall be recoverable from the Insured Owner.
- (10) The Policy and the Schedule shall be read together as one contract and any word or expression to which a specific meaning has been assigned in the Act and the Rules framed thereunder or in this Policy shall bear such specific meaning.
 - (11) Any dispute regarding interpretation of the terms, conditions and exclusions of this Policy shall be determined in accordance with the law and practice of a court of competent jurisdiction within India.

GRIEVANCE REDRESSAL POLICY

Grievance Lodgment Stage

The Company is committed to extend the best possible services to its customers. However, if you are not satisfied with our services and wish to lodge a complaint, please feel free to contact us through below channels:

Call us 24X7 toll free helpline 1800 266 7780

Email us at customersupport@tataaig.com

Write to us at : Customer Support, Tata AIG General Insurance Company Limited

A-501 Building No.4 IT Infinity Park, Dindoshi, Malad (E), Mumbai - 400097

Visit the Servicing Branch mentioned in the policy document

Nodal Officer

Please visit our website at www.tataaig.com to know the contact details of the Nodal Officer for your servicing branch.

After investigating the grievance internally and subsequent closure, we will send our response within a period of 10 days from the date of receipt of the complaint by the Company or its office in Mumbai. In case the resolution is likely to take longer time, we will inform you of the same through an interim reply.

Escalation Level 1

For lack of a response or if the resolution still does not meet your expectations, you can write to manager.customersupport@tataaig.com. After investigating the matter internally and subsequent closure, we will send our response within a period of 8 days from the date of receipt of your complaint.

Escalation Level 2

For lack of a response or if the resolution still does not meet your expectations, you can write to the Head-Customer Services at head.customerservices@tataaig.com. After examining the matter, we will send you our response within a period of 7 days from the date of receipt of your complaint. Within 30 days of lodging a complaint with us, if you do not get a satisfactory response from us and you wish to pursue other avenues for redressal of grievances, you may approach Insurance Ombudsman appointed by IRDA under the Insurance Ombudsman Scheme. Given below are details of the Insurance Ombudsman located at various centers.

List of Insurance Ombudsman Offices

Office of the Ombudsman	Address & Contact details	Jurisdiction of Office Union Territory, District
AHMEDABAD	Office of the Insurance Ombudsman, Jeevan Prakash Building, 6th Floor, Tilak Marg, Relief Road, Ahmedabad - 380 001. Tel.: 079 - 25501201/02/05/06 Email: bimalokpal.ahmedabad@ecoi.co.in	Gujarat, Dadra & Nagar Haveli, Daman and Diu.
BENGALURU	Office of the Insurance Ombudsman, Jeevan Soudha Building, PID No. 57-27-N-19 Ground Floor, 19/19, 24th Main Road, JP Nagar, Ist Phase, Bengaluru - 560 078. Tel.: 080 - 26652048 / 26652049 Email: bimalokpal.bengaluru@ecoi.co.in	Karnataka
BHOPAL	Office of the Insurance Ombudsman, Janak Vihar Complex, 2nd Floor, 6, Malviya Nagar, Opp. Airtel Office, Near New Market, Bhopal - 462 003. Tel.: 0755 - 2769201 / 2769202 Fax: 0755 - 2769203 Email: bimalokpal.bhopal@ecoi.co.in	Madhya Pradesh Chattisgarh
BHUBANESHWAR	Office of the Insurance Ombudsman, 62, Forest park, Bhubneshwar - 751 009. Tel.: 0674 - 2596461 /2596455 Fax: 0674 - 2596429 Email: bimalokpal.bhubaneswar@ecoi.co.in	Orissa
CHANDIGARH	Office of the Insurance Ombudsman, S.C.O. No. 101, 102 & 103, 2nd Floor, Batra Building, Sector 17 - D, Chandigarh - 160 017. Tel.: 0172 - 2706196 / 2706468 Fax: 0172 - 2708274 Email : bimalokpal.chandigarh@ecoi.co.in	Punjab, Haryana, Himachal Pradesh, Jammu & Kashmir, Chandigarh
CHENNAI	Office of the Insurance Ombudsman, Fatima Akhtar Court, 4th Floor, 453, Anna Salai, Teynampet, CHENNAI - 600 018. Tel.: 044 - 24333668 / 24335284 Fax: 044 - 24333664 Email : bimalokpal.chennai@ecoi.co.in	Tamil Nadu, Pondicherry Town and Karaikal (which are part of Pondicherry).
DELHI	Office of the Insurance Ombudsman, 2/2 A, Universal Insurance Building, Asaf Ali Road, New Delhi - 110 002. Tel.: 011 - 23239633 / 23237532 Fax: 011 - 23230858 Email: bimalokpal.delhi@ecoi.co.in	Delhi
GUWAHATI	Office of the Insurance Ombudsman, Jeevan Nivesh, 5th Floor, Nr. Panbazar over bridge, S.S. Road, Guwahati - 781001(ASSAM). Tel.: 0361 - 2132204 / 2132205 Fax: 0361 - 2732937 Email : bimalokpal.guwahati@ecoi.co.in	Assam, Meghalaya, Manipur, Mizoram, Arunachal Pradesh, Nagaland and Tripura
HYDERABAD	Office of the Insurance Ombudsman, 6-2-46, 1st floor, "Moin Court", Lane Opp. Saleem Function Palace, A. C. Guards, Lakdi-Ka-Pool, Hyderabad - 500 004. Tel.: 040 - 65504123 / 23312122 Fax: 040 - 23376599 Email : bimalokpal.hyderabad@ecoi.co.in	Andhra Pradesh, Telangana, Yanam and part of Territory of Pondicherry.
JAIPUR	Office of the Insurance Ombudsman, Jeevan Nidhi - II Bldg., Gr. Floor, Bhawani Singh Marg, Jaipur-302 005. Tel.: 0141 - 2740363 Email: Bimalokpal.jaipur@ecoi.co.in	Rajasthan
ERNAKULAM	Office of the Insurance Ombudsman, 2nd Floor, Pulinat Bldg., Opp. Cochin Shipyard, M. G. Road, Ernakulam - 682 015. Tel.: 0484 - 2358759 / 2359338 Fax: 0484 - 2359336 Email : bimalokpal.ernakulam@ecoi.co.in	Kerala, Lakshadweep, Mahe-a part of Pondicherry
KOLKATA	Office of the Insurance Ombudsman, Hindustan Bldg. Annexe, 4th Floor, 4, C.R. Avenue, KOLKATA-700 072. Tel.: 033 - 22124339 / 22124340 Fax : 033 - 22124341 Email: bimalokpal.kolkata@ecoi.co.in	West Bengal, Sikkim, Andaman & Nicobar Islands
LUCKNOW	Office of the Insurance Ombudsman, 6th Floor, Jeevan Bhawan, Phase-II, Nawal Kishore Road, Hazratganj, Lucknow - 226 001. Tel.: 0522 - 2231330 / 2231331 Fax: 0522 - 2231310 Email : bimalokpal.lucknow@ecoi.co.in	Districts of Uttar Pradesh : Laitpur, Jhasi, Mahoba, Hamirpur, Banda, Chitrakoot, Allahabad, Mirzapur, Sonbhadra, Fatehpur, Pratapgarh, Jaunpur, Varanasi, Gazipur, Jalaun, Kanpur, Lucknow, Unnao, Sitapur, Lakhimpur, Bahraich, Barabanki, Raebareli, Sravasti, Gonda, Faizabad, Amethi, Kaushambi, Balrampur, Basti, Ambedkarnagar, Sultanpur, Maharajgang, Santkabirnagar, Azamgarh, Kushinagar, Gorkhpur, Deoria, Mau, Ghazipur, Chandauli, Ballia, Sidharathnagar

Insurance is the subject matter of the solicitation. For more details on risk factors, terms and conditions, please read sales brochure carefully before concluding a sale.

TATA AIG General Insurance Company Ltd. Regd. Office: 15th floor, Tower A, Peninsula Business Park, Ganpatrao Kadam Marg, Off Senapati Bapat Marg, Lower Parcel, Mumbai- 400 013.

IRDA Registration No.108, CIN No : U85110MH2000PLC128425, PAN : AABCT3518Q, UIN No : IRDAN108CP0058V01201819

Website: www.tataaig.com 24X7 Tollfree Helpline 1800-266-7780 E-mail: customersupport@tataaig.com

MUMBAI	Office of the Insurance Ombudsman, 3rd Floor, Jeevan Seva Annexe, S. V. Road, Santacruz (W), Mumbai - 400 054. Tel.: 022 - 26106552 / 26106960 Fax: 022 - 26106052 Email : bimalokpal.mumbai@ecoi.co.in	Goa, Mumbai Metropolitan Region excluding Navi Mumbai & Thane
NOIDA	Office of the Insurance Ombudsman, Bhagwan Sahai Palace, 4th Floor, Main Road, Naya Bans, Sector 15, Distt: Gautam Buddh Nagar, U.P-201301. Tel.: 0120-2514250 / 2514252 / 2514253 Email : bimalokpal.noida@ecoi.co.in	State of Uttaranchal and the following Districts of Uttar Pradesh : Agra, Aligarh, Bagpat, Bareilly, Bijnor, Budaun, Bulandshehar, Etah, Kanooj, Mainpuri, Mathura, Meerut, Moradabad, Muzaffarnagar, Oraiyya, Pilibhit, Etawah, Farrukhabad, Firozbad, Gautambodhanagar, Ghazaibad, Hardoi, Shahjahanpur, Hapur, Shamli, Rampur, Kashganj, Sambhal, Amroha, Hathras, Kanshiramnagar, Saharanpur
PATNA	Office of the Insurance Ombudsman, 1st Floor, Kalpana Arcade Building, Bazar Samiti Road, Bahadurpur, Patna 800 006. Tel.: 0612-2680952 Email: bimalokpal.patna@ecoi.co.in	Bihar, Jharkhand
PUNE	Bhagwan Sahai Palace , 4th Floor, Main Road, Naya Bans, Sector 15, G.B. Nagar, Noida. NOIDA – 201301 Tel: 0120-2514250/51/53 Email: bimalokpal.noida@gbic.co.in	Maharashtra, Area of Navi Mumbai and Thane excluding Mumbai Metropolitan Region

Date: 04/01/2023

MYLAN PHARMACEUTICALS PRIVATE LIMITED

**PLOT NO 564-A-22
ROAD NO 92
JUBILEE HILLS, HYDERABAD
HYDERABAD - 500033
HYDERABAD
TELANGANA
INDIA
36AABCM9323J2ZA(GSTIN Number)**

Policy No : 0304006042

Renewal : 02

Endorsement : 00

Dear Sir / Madam,

We thank you for choosing **Tata AIG General Insurance Company Ltd.** as your preferred insurer. Your Policy No. Is 0304006042 02 00.

We are glad that you have chosen our product **PUBLIC LIABILITY ACT** and given us an opportunity to be your risk carrier for this Product.

'Casualty Line' caters to most of the Enterprises / Industries in India, whether Large, Medium or Small. As one of the India's most established insurance companies, we understand these unique needs of coverage. At Tata AIG we care for you and would strive to offer convenience coupled with a range of products that cater continuously to your ever increasing needs.

Enclosed please find your policy docket based on the information furnished by you in the Proposal.

We look forward to a long and mutually beneficial relationship and providing you wider range of benefits in the years to come.

Yours Sincerely,
For Tata AIG General Insurance Company Limited



Authorized Signatory

**PUBLIC LIABILITY ACT POLICY
POLICY SCHEDULE**

Agent/Broker Name -MARSH INDIA INSURANCE BROKERS PVT LTD

Agent/Broker License Code - 120:Agent/Broker :Contact No - 022-66512947 (mobile or landline)

Attaching to and forming part of Policy No. 0304006042 02 00
Name of Insured Owner: MYLAN PHARMACEUTICALS PRIVATE LIMITED
Business: trading of pharmaceutical products, rendering business support services and research and development services to group companies

Address: PLOT NO 564-A-22
ROAD NO 92
JUBILEE HILLS, HYDERABAD
HYDERABAD - 500033
HYDERABAD
TELANGANA
INDIA
36AABCM9323J2ZA(GSTIN Number)
Place of supply -TELANGANA
State code -36

Territorial limits: Anywhere in India

Policy Period: From: 01/01/2023 12:00 AM/ PM
To Midnight of: 31/12/2023 12:00 AM/ PM

Indemnity limit:Rs 50,000,000.00 in respect of any one accident and not exceeding 3 times thereof in the aggregate during the policy period.

Service Tax Registration No:

Premium	₹ 5,981.00
UGST/SGST @9 %	₹ 538.00
CGST @9 %	₹ 538.00

**Contribution to the
Environment Relief Fund:₹ 5,981.00**

Date of Proposal and declaration:04/01/2023

In witness whereof the undersigned being duly authorized by the company and on behalf of the company has hereto set his hand at HYDERABAD on 04/01/2023

The stamp duty of 0.25 paid in cash or demand draft or by pay order,vide Receipt/Challan no: LOA-NO.CSD/458/2022/3983 dated the 13/09/2022

For Tata AIG General Insurance Company Limited



Authorized Signatory

Date :04/01/2023
Place :HYDERABAD

Policy Servicing Office
Tata AIG General Insurance Company Limited
5TH AND 6TH FLOOR, IMPERIAL TOWERS,, H.NO 7-1-6-617/A, GHMC NO - 615,616,,HYDERABAD,TELANGANA,HYDERABAD-500016
Tel No:91-44-66864900

RECEIPT

Receipt No. : 106001041647401

Receipt Date : 04/01/2023

Policy No : 0304006042 02 00

Received with thanks from MYLAN PHARMACEUTICALS PVT LTD a sum of ₹ **13,038.00** (Rupees Thirteen Thousand Thirty Eight And Paise Zero Only)

Sr. No.	Policy Number	Total Premium (₹)	Utilized from the receipt for policy (₹)	Balance (₹)
1	0304006042 02 00	13,038.00	13,038.00	0.00

Note:

1. This is a computer generated receipt and does not require a signature.
2. Upon issuance of this Receipt, all previously issued temporary receipts, if any, related to this Policy shall be considered null and void.
3. Amounts received by cheque shall be subject to realisation.
4. Any amount received in excess of the Premium is being/shall be refunded by the Company.

GSTIN : 36AABCT3518Q1ZX - TELANGANA Service Accounting Code : 997139

Insurance is the subject matter of the solicitation. For more details on risk factors, terms and conditions, please read sales brochure carefully before concluding a sale.
TATA AIG General Insurance Company Ltd. Regd. Office: 15th floor, Tower A, Peninsula Business Park, Ganpatrao Kadam Marg, Off Senapati Bapat Marg, Lower Parel, Mumbai- 400 013.

IRDA Registration No.108, CIN No : U85110MH2000PLC128425, PAN : AABCT3518Q, UIN No : IRDAN108CP0058V01201819
Website: www.tataaig.com 24X7 Tollfree Helpline 1800-266-7780 E-mail: customersupport@tataaig.com

**LIABILITY INSURANCE POLICY
(UNDER PUBLIC LIABILITY INSURANCE ACT 1991)**

1. OPERATIVE CLAUSE

Whereas the Insured Owner named in the schedule hereto and carrying on business described in the said schedule has applied to the Tata AIG General Insurance Company Limited (hereinafter called the Company) for the indemnity hereinafter contained and has made a written proposal and declaration which shall be the basis of this contract and is deemed to be incorporated herein and has paid the premium and statutory contribution towards the Environment Relief Fund as per the provisions of the Public Liability Insurance Act and the rules framed thereunder.

NOW THIS POLICY WITNESSETH that subject to the terms, exceptions and conditions contained herein or endorsed hereon, the company will indemnify the insured owner against the statutory liability arising out of accidents occurring during the currency of the policy due to handling hazardous substances as provided for in the said Act and the Rules framed thereunder.

2. DEFINITIONS:

- a) "ACT" unless otherwise specifically mentioned shall mean the Public Liability Insurance Act 1991 as amended from time to time;
- b) "Accident" means an accident involving a fortuitous, sudden or unintentional occurrence while handling any hazardous substance resulting in continuous, intermittent or repeated exposure to death of, or injury to any person or damage to any property but does not include an accident by reason only of war or radioactivity;
- c) "Handling" in relation to any hazardous substance means the manufacture, processing, treatment, package, storage, transportation by vehicle, use, collection, destruction, conversion, offering for sale, transfer or the like of such hazardous substance;
- d) "Hazardous Substance" means any substance or preparation which is defined as hazardous substance under the Environment (Protection) Act, 1986, and exceeding such quantity as may be specified, by notification, by the Central Government;
- e) "Owner" means a person who owns, or has control over handling any hazardous substance at the time of accident and includes:
- i) in the case of a firm any of its partners;
 - ii) in the case of an association, any of its members, and
 - iii) in the case of a company, any of its directors, managers, secretaries or other officers who is/are directly in charge of, and is/are responsible to the company for the conduct of the business of the company;
- f) "Turnover" shall mean
- i) Manufacturing units-Annual Gross Sales of all goods including all levies and taxes
 - ii) Godowns/ warehouse owners-Total Annual rental receipts.
 - iii) Transport Operators-Total Annual freight receipts.
 - iv) Others-Total Annual gross receipts.

3. EXCLUSIONS:

- (1) arising out of wilful or intentional non-compliance of any Statutory provisions.
- (2) in respect of fines, penalties, punitive and/or exemplary damages.
- (3) arising under any other legislation except in so far as provided for in Section 8 Sub Section (1) and (2) of the Act.
- (4) in respect of damage to property owned, leased or hired or under hire purchase or on loan to the Insured or otherwise in the Insured Owner's control, care or custody.
- (5) directly or indirectly occasioned by, happening through or in consequence of war, invasion, act of foreign enemy, hostilities (whether war be declared or not), civil war, rebellion, revolution, insurrection or military or usurped power;
- (6) directly or indirectly caused by or contributed to by.
 - (a) ionising radiation or contamination by radioactivity from any nuclear fuel or from any nuclear waste from the combustion of nuclear fuel
 - (b) the radioactive, toxic, explosive or other hazardous properties of any explosive nuclear assembly or nuclear component thereof.

4. CONDITIONS:

The Insured owner shall give written notice to the Company as soon as reasonably practicable of any claim made against the Insured Owner or of any specific event or (1) circumstance that may give rise to a claim. The Insured Owner shall immediately give to the Company copies of notice of applications forwarded by the Collector and all

such additional information and or assistance that the company may require.

- (2) No admission, offer, promise or payments shall be made or given by or on behalf of the Insured owner under this policy without the written consent of the Company.
 - (3) The Company shall not be liable for any claim for relief made after five years from the date of occurrence of the accident.
 - (4) The Insured Owner shall keep record of annual turnover, and at the time of renewal of insurance declare such turnover and all other details as may be required by the Company. The Company shall at all reasonable times have full rights to call for and examine such records.
 - (5) If at the time of happening of any accident resulting in a claim under this policy there be any other insurance covering the same liability, then the Company shall not be liable to pay or contribute more than its ratable proportion of such liability.
 - (6) This policy may be cancelled by the Insured Owner by giving 30 days notice in writing to the company in which event the Company will retain premium at short period scale subject to there not having occurred an accident during the policy period which may give rise to a claims(s), failing which no refund of premium shall be allowable.
 - (7) This Policy may also be cancelled by the Insurer by giving 30 days notice in writing to the Insured Owner in which event the Company shall be liable to repay on demand a ratable proportion of the premium for the unexpired term from the date of cancellation.
- If the Company shall disclaim liability to the Insured Owner for any claim hereunder and such claim shall not within 12 calendar months from the date of such disclaimer
- (8) have been made the subject matter of a suit in a competent court of law, then the claim for the practical purposes shall be deemed to have been abandoned and shall not thereafter be recoverable hereunder or be made the subject matter of any suit.
- The Company shall not be liable to make any payment in respect of any claim if such claim shall be in any manner fraudulent or supported, by any person on behalf of the
- (9) Insured Owner and/or if the insurance has been continued in consequence of any material misstatement or non-disclosure of any material information by or on behalf of the Insured Owner. In such a case if the Company pays any amount to the claimant due to any statutory provision such amount shall be recoverable from the Insured Owner.
- (10) The Policy and the Schedule shall be read together as one contract and any word or expression to which a specific meaning has been assigned in the Act and the Rules framed thereunder or in this Policy shall bear such specific meaning.
 - (11) Any dispute regarding interpretation of the terms, conditions and exclusions of this Policy shall be determined in accordance with the law and practice of a court of competent jurisdiction within India.

GRIEVANCE REDRESSAL POLICY

Grievance Lodgment Stage

The Company is committed to extend the best possible services to its customers. However, if you are not satisfied with our services and wish to lodge a complaint, please feel free to contact us through below channels:

Call us 24X7 toll free helpline 1800 266 7780

Email us at customersupport@tataaig.com

Write to us at : Customer Support, Tata AIG General Insurance Company Limited

A-501 Building No.4 IT Infinity Park, Dindoshi, Malad (E), Mumbai - 400097

Visit the Servicing Branch mentioned in the policy document

Nodal Officer

Please visit our website at www.tataaig.com to know the contact details of the Nodal Officer for your servicing branch.

After investigating the grievance internally and subsequent closure, we will send our response within a period of 10 days from the date of receipt of the complaint by the Company or its office in Mumbai. In case the resolution is likely to take longer time, we will inform you of the same through an interim reply.

Escalation Level 1

For lack of a response or if the resolution still does not meet your expectations, you can write to manager.customersupport@tataaig.com. After investigating the matter internally and subsequent closure, we will send our response within a period of 8 days from the date of receipt of your complaint.

Escalation Level 2

For lack of a response or if the resolution still does not meet your expectations, you can write to the Head-Customer Services at head.customerservices@tataaig.com. After examining the matter, we will send you our response within a period of 7 days from the date of receipt of your complaint. Within 30 days of lodging a complaint with us, if you do not get a satisfactory response from us and you wish to pursue other avenues for redressal of grievances, you may approach Insurance Ombudsman appointed by IRDA under the Insurance Ombudsman Scheme. Given below are details of the Insurance Ombudsman located at various centers.

List of Insurance Ombudsman Offices

Office of the Ombudsman	Address & Contact details	Jurisdiction of Office Union Territory, District
AHMEDABAD	Office of the Insurance Ombudsman, Jeevan Prakash Building, 6th Floor, Tilak Marg, Relief Road, Ahmedabad - 380 001. Tel.: 079 - 25501201/02/05/06 Email: bimalokpal.ahmedabad@ecoi.co.in	Gujarat, Dadra & Nagar Haveli, Daman and Diu.
BENGALURU	Office of the Insurance Ombudsman, Jeevan Soudha Building, PID No. 57-27-N-19 Ground Floor, 19/19, 24th Main Road, JP Nagar, Ist Phase, Bengaluru - 560 078. Tel.: 080 - 26652048 / 26652049 Email: bimalokpal.bengaluru@ecoi.co.in	Karnataka
BHOPAL	Office of the Insurance Ombudsman, Janak Vihar Complex, 2nd Floor, 6, Malviya Nagar, Opp. Airtel Office, Near New Market, Bhopal - 462 003. Tel.: 0755 - 2769201 / 2769202 Fax: 0755 - 2769203 Email: bimalokpal.bhopal@ecoi.co.in	Madhya Pradesh Chattisgarh
BHUBANESHWAR	Office of the Insurance Ombudsman, 62, Forest park, Bhubneshwar - 751 009. Tel.: 0674 - 2596461 /2596455 Fax: 0674 - 2596429 Email: bimalokpal.bhubaneswar@ecoi.co.in	Orissa
CHANDIGARH	Office of the Insurance Ombudsman, S.C.O. No. 101, 102 & 103, 2nd Floor, Batra Building, Sector 17 - D, Chandigarh - 160 017. Tel.: 0172 - 2706196 / 2706468 Fax: 0172 - 2708274 Email : bimalokpal.chandigarh@ecoi.co.in	Punjab, Haryana, Himachal Pradesh, Jammu & Kashmir, Chandigarh
CHENNAI	Office of the Insurance Ombudsman, Fatima Akhtar Court, 4th Floor, 453, Anna Salai, Teynampet, CHENNAI - 600 018. Tel.: 044 - 24333668 / 24335284 Fax: 044 - 24333664 Email : bimalokpal.chennai@ecoi.co.in	Tamil Nadu, Pondicherry Town and Karaikal (which are part of Pondicherry).
DELHI	Office of the Insurance Ombudsman, 2/2 A, Universal Insurance Building, Asaf Ali Road, New Delhi - 110 002. Tel.: 011 - 23239633 / 23237532 Fax: 011 - 23230858 Email: bimalokpal.delhi@ecoi.co.in	Delhi
GUWAHATI	Office of the Insurance Ombudsman, Jeevan Nivesh, 5th Floor, Nr. Panbazar over bridge, S.S. Road, Guwahati - 781001(ASSAM). Tel.: 0361 - 2132204 / 2132205 Fax: 0361 - 2732937 Email : bimalokpal.guwahati@ecoi.co.in	Assam, Meghalaya, Manipur, Mizoram, Arunachal Pradesh, Nagaland and Tripura
HYDERABAD	Office of the Insurance Ombudsman, 6-2-46, 1st floor, "Moin Court", Lane Opp. Saleem Function Palace, A. C. Guards, Lakdi-Ka-Pool, Hyderabad - 500 004. Tel.: 040 - 65504123 / 23312122 Fax: 040 - 23376599 Email : bimalokpal.hyderabad@ecoi.co.in	Andhra Pradesh, Telangana, Yanam and part of Territory of Pondicherry.
JAIPUR	Office of the Insurance Ombudsman, Jeevan Nidhi - II Bldg., Gr. Floor, Bhawani Singh Marg, Jaipur-302 005. Tel.: 0141 - 2740363 Email: Bimalokpal.jaipur@ecoi.co.in	Rajasthan
ERNAKULAM	Office of the Insurance Ombudsman, 2nd Floor, Pulinat Bldg., Opp. Cochin Shipyard, M. G. Road, Ernakulam - 682 015. Tel.: 0484 - 2358759 / 2359338 Fax: 0484 - 2359336 Email : bimalokpal.ernakulam@ecoi.co.in	Kerala, Lakshadweep, Mahe-a part of Pondicherry
KOLKATA	Office of the Insurance Ombudsman, Hindustan Bldg. Annexe, 4th Floor, 4, C.R. Avenue, KOLKATA-700 072. Tel.: 033 - 22124339 / 22124340 Fax : 033 - 22124341 Email: bimalokpal.kolkata@ecoi.co.in	West Bengal, Sikkim, Andaman & Nicobar Islands
LUCKNOW	Office of the Insurance Ombudsman, 6th Floor, Jeevan Bhawan, Phase-II, Nawal Kishore Road, Hazratganj, Lucknow - 226 001. Tel.: 0522 - 2231330 / 2231331 Fax: 0522 - 2231310 Email : bimalokpal.lucknow@ecoi.co.in	Districts of Uttar Pradesh : Laitpur, Jhasi, Mahoba, Hamirpur, Banda, Chitrakoot, Allahabad, Mirzapur, Sonbhadra, Fatehpur, Pratapgarh, Jaunpur, Varanasi, Gazipur, Jalaun, Kanpur, Lucknow, Unnao, Sitapur, Lakhimpur, Bahraich, Barabanki, Raebareli, Sravasti, Gonda, Faizabad, Amethi, Kaushambi, Balrampur, Basti, Ambedkarnagar, Sultanpur, Maharajgang, Santkabirnagar, Azamgarh, Kushinagar, Gorkhpur, Deoria, Mau, Ghazipur, Chandauli, Ballia, Sidharathnagar

Insurance is the subject matter of the solicitation. For more details on risk factors, terms and conditions, please read sales brochure carefully before concluding a sale.

TATA AIG General Insurance Company Ltd. Regd. Office: 15th floor, Tower A, Peninsula Business Park, Ganpatrao Kadam Marg, Off Senapati Bapat Marg, Lower Parcel, Mumbai- 400 013.

IRDA Registration No.108, CIN No : U85110MH2000PLC128425, PAN : AABCT3518Q, UIN No : IRDAN108CP0058V01201819

Website: www.tataaig.com 24X7 Tollfree Helpline 1800-266-7780 E-mail: customersupport@tataaig.com

MUMBAI	Office of the Insurance Ombudsman, 3rd Floor, Jeevan Seva Annexe, S. V. Road, Santacruz (W), Mumbai - 400 054. Tel.: 022 - 26106552 / 26106960 Fax: 022 - 26106052 Email : bimalokpal.mumbai@ecoi.co.in	Goa, Mumbai Metropolitan Region excluding Navi Mumbai & Thane
NOIDA	Office of the Insurance Ombudsman, Bhagwan Sahai Palace, 4th Floor, Main Road, Naya Bans, Sector 15, Distt: Gautam Buddh Nagar, U.P-201301. Tel.: 0120-2514250 / 2514252 / 2514253 Email : bimalokpal.noida@ecoi.co.in	State of Uttaranchal and the following Districts of Uttar Pradesh : Agra, Aligarh, Bagpat, Bareilly, Bijnor, Budaun, Bulandshehar, Etah, Kanooj, Mainpuri, Mathura, Meerut, Moradabad, Muzaffarnagar, Oraiyya, Pilibhit, Etawah, Farrukhabad, Firozbad, Gautambodhanagar, Ghazaibad, Hardoi, Shahjahanpur, Hapur, Shamli, Rampur, Kashganj, Sambhal, Amroha, Hathras, Kanshiramnagar, Saharanpur
PATNA	Office of the Insurance Ombudsman, 1st Floor, Kalpana Arcade Building, Bazar Samiti Road, Bahadurpur, Patna 800 006. Tel.: 0612-2680952 Email: bimalokpal.patna@ecoi.co.in	Bihar, Jharkhand
PUNE	Bhagwan Sahai Palace , 4th Floor, Main Road, Naya Bans, Sector 15, G.B. Nagar, Noida. NOIDA – 201301 Tel: 0120-2514250/51/53 Email: bimalokpal.noida@gbic.co.in	Maharashtra, Area of Navi Mumbai and Thane excluding Mumbai Metropolitan Region

ANNEXURE - 3

Acknowledgment for the latest Form-V



Mylan Laboratories Limited
Plot No: 564/A/22, Road No.92, Jubilee Hills,
Hyderabad - 500 096, Telangana, India
Tel : +91 40-30866666, 23550543, Fax: 30866699
E-Mail: mylan.india@mylan.in
Web : www.mylan.labs.in
CIN : U24231TG1984PLC005146

Date: 19th September, 2023

To,

The Environmental Engineer,
A.P. Pollution Control Board,
D.No. 33-26-14 D/2,
Near Sunrise Hospital,
Pushpa Hotel Centre,
Chalamalavari Street,
Kasturibaipet, Vijayawada – 520010

Sir,

Sub: Submission of Environment Statement (Form- V) Report for the year 2022 – 2023
– Reg.


Ref: Condition No. 06 of Schedule A CFO No: APPCB/VSP/155/HO/CFO/2009, dated:
18.11.2022

We are herewith submitting Environment Statement report (Form -V) with reference to the subject cited above and as per the condition No. 06 of Schedule A of Consent and Authorization Order No. APPCB/VSP/155/HO/CFO/2009, dated: 18.11.2022, and as per the Rule No. 14 of E (P) Rules, 1986 & Amendments thereof.

Please acknowledge the receipt of the same.

Thanking you,
Yours faithfully,

For Mylan Laboratories Limited, Unit - 9


Mr. Sunil Roy Wadhwa
Head of API Mfg. Operations (Unit-09)

CC : Environmental Engineer, Regional Office, APPCB, Visakhapatnam



92-9-23

ANNEXURE - 4
Copy of CFO Amendment



ANDHRA PRADESH POLLUTION CONTROL BOARD
D.No.33-26-14D/2, Near Sunrise Hospital, Pushpa Hotel Centre,
Chalamalavari Street, Kasturibaipet, Vijayawada – 520 010
Phone. No.0866-2463200, Website : <https://pcb.ap.gov.in/>

Lr No: APPCB/VSP/155/HO/CTO/2009

25/11/2022

Sub: APPCB – UH-IV - CTO - M/s. Mylan Laboratories Ltd., Unit – 9, Plot No. 5, JNPC, - Parawada, Anakapalli District(Earlier Visakhapatnam District) – Request for operating SRS unit – Amendment of CTO order – Issued - Reg.

Ref:-

1. CTO (CPM) Order dt: 18.11.2022 valid upto 31.10.2025.
2. Industry representation dt 17.11.2022.
3. RO, Visakhapatnam report received on 18.11.2022.
4. CTO committee meeting held on 22.11.2022

- I. The Board vide order dt. 18.11.2022 issued CTO to the industry to manufacture bulk drugs of 2267 kg/day (Regular products along with any one product form campaign products) for a period upto 31.10.2025, for a total project cost of Rs. 203.29 Cr, with total area of 6.67 acres. While issuing CTO Order to the industry the Board stipulated the conditions that “i) The industry shall not operate SRS unit until completion of installation of VOC absorption Media like Activated Carbon for the vent of the condenser as per SoP for SRS units issued by CPCB and ii) The industry shall operate SRS only after obtaining permission from the Board”. The industry submitted a representation on 17.11.2022 and informed that the industry has completed installation VOC absorption Media to the vent of the condenser of solvent recovery unit and provided VOC meter as per the SOP of CPCB prescribed for solvent recovery unit and requested to give permission to operate solvent recovery unit. Now, the RO, Visakhapatnam 18.11.2022 submitted a report and informed that the industry was inspected on 18.11.2022 and observed that the industry has installed VOC absorption Media to the vent of the condenser of solvent recovery unit and provided VOC meter as per the SOP of CPCB prescribed for solvent recovery unit. The RO, recommended that request of the industry to operate solvent recovery unit may be examined.
- II. The issue of the industry was placed in the CTO committee meeting held on 22.11.2022 and the committee recommended the industry to operate the SRS unit duly complying with SoPs of CPCB for the SRS units.
- III. The Board after careful scrutiny of the RO, report, industry’s representation and recommendations of CTO committee hereby issue the following amendment to the CTO & HWA Order dt: 18.11.2022 issued by the Board under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21/22 of Air (Prevention & Control of Pollution) Act 1981 and amendments thereof and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary, Movement) Rules, 2016 and the rules and orders made there under

(hereinafter referred to as 'the Acts', `the Rules') to:

Amendment:

The following two conditions at Schedule –B at points 1 & 2 shall be read as follows:

1. The industry shall operate SRS unit and maintain VOC absorption Media like Activated Carbon for the vent of the condenser as per SoP for SRS units issued by CPCB.
2. The industry shall comply with the SoPs issued by CPCB for SRS units.

VIJAY KUMAR GSRKR IAS, MEMBER SECY(GSRKRVK), O/o MEMBER
SECRETARY-APPCB

To

M/s. Mylan Laboratories Ltd., Unit – 9,

Plot No. 5, JNPC, Parawada,

Anakapalli District(Earlier Visakhapatnam District)

E-mail: srinivas.gangavarapu@mylan.in; Sunilroy.wadhwa@viatris.com

Copy to:

1. The JCEE, Zonal Office, **Visakhapatnam** for information and necessary action.
2. The EE, Regional Office, **Visakhapatnam** for information and necessary action.

ANNEXURE - 5

Water consumption data June-2023 to Nov-2023

Annexure-2

MYLAN LABORATORIES LIMITED,UNIT - 09

Water Consumption Details from Jan - Dec 2023

Month	Process & Washings	Boiler Feed	Cooling towers make up	Softner and DM plant	Domestic	Garden Belt	Total
Jun-23	82.27	17	128.47	2.43	19.4	0.76	250.33
Jul-23	91.0	26.29	112.1	2.9	18.58	0.35	251.22
Aug-23	80.71	26	122.42	3.23	21.29	0.58	254.23
Sep-23	81.6	26.43	95.3	3.43	17.9	0.13	224.79
Oct-23	86.55	27.58	125.35	3.13	18.9	0.13	261.64
Nov-23	70.6	27.97	112.23	2.87	18.63	0.57	232.87

ANNEXURE - 6

**Latest waste water Analysis reports for the month of
Nov'2023**



ISO 9001, 14001 & 45001
CERTIFIED COMPANY

LAWN ENVIRO ASSOCIATES

[Engineers & Consultants in Pollution Control]

Recognised by Ministry of Environment Forest & Climate Change (MoEF & CC), GOI, New Delhi
& Laboratory Accredited by NABL

TEST REPORT

REF.NO: LAWN/MYLAN-9/2023

Date: 04-12-2023

WASTE WATER ANALYSIS

Name of the Industry & Address : **M/s. MYLAN LABORATORIES LIMITED (UNIT-9),**
Plot No:5, Road No:12, JN Pharma City, Parawada (V),
Vishakapatnam (Dist) - 531 021.

Sample Particulars : High TDS Effluent (Before Treatment)
Date of Collection : 26-11-2023
Date of Analysis : 27-11-2023
PROTOCOL : A. P. H. A 23rd Edition

1. pH	:	8.43
2. Total dissolved solids	:	38,125
3. Total Suspended solids	:	1,314
4. Chemical oxygen demand	:	46,056
5. Biochemical oxygen demand (3 days at 27 °C)	:	15,100
6. Chlorides as Cl	:	12,934
7. Sulphates as SO ₄	:	6,875
8. Oil & Grease	:	3.70

Note All the values except pH are expressed in mg/L.


AUTHORISED SIGNATORY



ISO 9001, 14001 & 45001
CERTIFIED COMPANY

LAWN ENVIRO ASSOCIATES

[Engineers & Consultants in Pollution Control]

Recognised by Ministry of Environment Forest & Climate Change (MoEF & CC), GOI, New Delhi
& Laboratory Accredited by NABL

TEST REPORT

REF.NO: LAWN/MYLAN-9/2023

Date: 04-12-2023

WASTE WATER ANALYSIS

Name of the Industry & Address : **M/s. MYLAN LABORATORIES LIMITED (UNIT-9),**
Plot No:5, Road No:12, JN Pharma City, Parawada (V),
Vishakapatnam (Dist) - 531 021.

Sample Particulars : LTDS Effluent - Before Treatment (Before lifting to CETP) - M/s. Ramky PharmaCity
Date of Collection : 26-11-2023
Date of Analysis : 27-11-2023

		Limits prescribed by CETP	
1. pH	:	7.42	6.5 – 8.5
2. Temperature °C	:	28	45
3. Total dissolved solids	:	3,370	12,000
4. Total suspended solids	:	396	600
5. Biochemical Oxygen Demand (3 days at 27 °C)	:	2,545	3,000
6. Chemical Oxygen demand	:	6,734	8,000
7. Oil & Grease	:	2.90	20
8. Chromium Hexavalent as Cr+6	:	0.06	2.0
9. Chromium (Total) as Cr	:	0.23	2.0
10. Ammonical Nitrogen as N	:	16	30
11. Cyanide as CN	:	BDL	0.20
12. Lead as Pb	:	0.19	1.0
13. Nickel as Ni	:	0.25	3.0
14. Zinc as Zn	:	1.26	15
15. Arsenic as As	:	BDL	0.20
16. Mercury as Hg	:	BDL	0.01

Note: 1. All values except pH are expressed in mg/L.
2. BDL - Below Detectable Limit.


AUTHORISED SIGNATORY

ANNEXURE - 7

Photographs of Effluent storage tanks at production blocks

Annexure-07

Above ground effluent storage tanks at production blocks






ANNEXURE - 8

**Photographs of ETP Above ground effluent storage tanks
with hood system**

Annexure-08

ETP Above ground effluent storage tanks with hood system



ANNEXURE – 9

**Photographs of Detoxification pumping facility to LTDS
effluent tanks**

Detoxification Pumping facility to LTDS effluent tanks



ANNEXURE – 10

**Photograph of Web Camera connectivity provided for
HTDS and LTDS flow meters**

Web Camera and Flow Meters with totalizers



ANNEXURE – 11

Photographs of Condensers& Chillers, Closed centrifuges

Closed Centrifuge System



Chilled Brine circulation system



Reactor with primary and secondary condenser system





ANNEXURE – 12

Photographs of Online VOC monitoring analyzer

Annexure-06

Online VOC analyser





Online VOC analyser data connected to APPCB server screen shot

The screenshot displays the APPCB server interface for Mylan Laboratories Ltd Unit 9. The page shows site information, status cards for CEMS, EQMS, and AAQMS, and a table of live readings for various pollutants.

Site Information:

- Location: Parawada, Andhra Pradesh
- Industry: DRUGS AND PHARMACEUTICALS
- Data Last Received On: 16, December, 2021
- Configuration Updated On: 01, January, 2017
- Calibration at: 01, October, 2021
- CEMS: 1
- EQMS: 2
- AAQMS: 2
- Total Stations: 5

Live Readings:

Filter: Ambient

Station	Pollutant	Current Reading (ug/m3)	15 Mins Avg (ug/m3)	Limit (ug/m3)	Range (ug/m3)
AAQMS_1	AAQMS_1 - CO	0.46	0.44	100	0 - 500
AAQMS_1	AAQMS_1 - NH3	12.16	12.31	100	0 - 500
AAQMS_1	AAQMS_1 - NOx	8.4	7.35	80	0 - 500
AAQMS_1	AAQMS_1 - PM2.5	36.0	36.00	60	0 - 1000
AAQMS_1	AAQMS_1 - PM10	60.0	60.00	100	0 - 1000
AAQMS_1	AAQMS_1 - SO2	17.1	17.68	80	0 - 500
AAQMS_1	AAQMS_1 - VOC	0.97	0.96	-	0 - 50
Near_SRP_Area	Near_SRP_Area - VOC	0.62	0.62	100	0 - 1000

ANNEXURE – 13

Monitoring report of Tank farm vent analysis



TEST REPORT

ULR NO: TC858223000000164F

Report No : EN23010014-01 Report Date : 19 Jan 2023

SAMPLE DRAWN BY LABORATORY

Customer Name : M/S. Mylan Laboratories Ltd - Unit 9
Customer Address : Plot No:5, Road No:12,Jawahar Lal Nehru Pharma City,531019


Sample Name : Tank Farm Monitoring
Sample No : EN23010014-01 Sampling Date : 09 Jan 2023
Sampling Location : Non Peso Tank form Area-ST813 Dist MeOH+MDC Sample Received on : 10 Jan 2023
Sample Condition : Fit for Analysis Test Started on : 10 Jan 2023
Media Used : Carboxen and Tenax Test Completed on : 19 Jan 2023

Test result

S.No	Test Name	Test Method	Units	Results	CPCB standard
VOC Analysis					
1	Dichloromethane	GL/EN-INS/SOP/10	mg/Nm ³	1.45	200
2	Benzene			BLQ(LOQ:0.1)	5
3	Toluene			BLQ(LOQ:0.1)	100
4	O-Xylene			BLQ(LOQ:0.1)	100
5	M-XYLENE			BLQ(LOQ:0.1)	
6	P-XYLENE			BLQ(LOQ:0.1)	
7	Acetonitrile			BLQ(LOQ:1.0)	1000
8	Acetone			BLQ(LOQ:1.0)	2000
9	HCL	NIOSH 7907	mg/Nm ³	BDL(DL:0.02)	35
10	Ammonia as NH ₃	GL/EN/SOP/057	mg/Nm ³	BDL(DL:0.02)	30
11	Chlorine as Cl ₂	IS 5182 Part 19	mg/Nm ³	BDL(DL:0.1)	15

Note: BLQ-Below Limit of Quantification, LOQ-Limit of Quantification

.....End of Report.....
Page 1 of 1


Authorized Signature
E. Prithvirajan
Manager - Lab

#6/1,1st Floor, Sri Jothi Complex, Murugesan Street, Balavinayagar Nagar,Arumbakkam, Chennai – 600106.

Terms and Conditions:

* The Test Results Relate only to the items tested.* The Test Report Shall not be reproduced in full or part without the written approval of BVIL. * The test items will not be retained for more than 15 days from the date of issue of test report excepts in the case as required by the application regulations. * The Laboratory's Responsibility under this report is limited to proven wilful negligence and will in no case be more than the invoiced amount. *A Satisfactory test report in no way implies that the product so tested is approved by NABL. * Laboratory is not responsible for the authenticity of photocopied test reports.

WARNING: Attention is drawn to the limitations of the Liability, indemnification and jurisdictional issues established there in any holder of their document is advised that information contained hereon reflex the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document.



TEST REPORT

ULR NO: TC858223000000165F

Report No : EN23010014-02 Report Date : 19 Jan 2023

SAMPLE DRAWN BY LABORATORY

Customer Name : M/S. Mylan Laboratories Ltd - Unit 9

Customer Address : Plot No:5, Road No:12,Jawahar Lal Nehru Pharma City,531019

Sample Name : Tank Farm Monitoring

Sample No : EN23010014-02 Sampling Date : 09 Jan 2023

Sampling Location : Non Peso Tank form Area-ST 813 Sample Received on : 10 Jan 2023

Sample Condition : Fit for Analysis Test Started on : 10 Jan 2023

Media Used : Carboxen and Tenax Test Completed on : 19 Jan 2023


Test result

S.No	Test Name	Test Method	Units	Results	CPCB standard
VOC Analysis					
1	Dichloromethane	GL/EN-INS/SOP/10	mg/Nm ³	BLQ(LOQ:0.1)	200
2	Benzene			BLQ(LOQ:0.1)	5
3	Toluene			BLQ(LOQ:0.1)	100
4	O-Xylene			BLQ(LOQ:0.1)	100
5	M-XYLENE			BLQ(LOQ:0.1)	
6	P-XYLENE			BLQ(LOQ:0.1)	
7	Acetonitrile			BLQ(LOQ:1.0)	1000
8	Acetone			BLQ(LOQ:1.0)	2000
9	HCL	NIOSH 7907	mg/Nm ³	BDL(DL:0.02)	35
10	Ammonia as NH ₃	GL/EN/SOP/057	mg/Nm ³	BDL(DL:0.02)	30
11	Chlorine as Cl ₂	IS 5182 Part 19	mg/Nm ³	BDL(DL:0.1)	15

Note: BLQ-Below Limit of Quantification, LOQ-Limit of Quantification

.....End of Report.....

Page 1 of 1


Authorized Signature
E. Prithvirajan
Manager - Lab

#6/1,1st Floor, Sri Jothi Complex, Murugesan Street, Balavinayagar Nagar,Arumbakkam, Chennai – 600106.

Terms and Conditions:

* The Test Results Relate only to the items tested.* The Test Report Shall not be reproduced in full or part without the written approval of BVIL. * The test items will not be retained for more than 15 days from the date of issue of test report excepts in the case as required by the application regulations. * The Laboratory's Responsibility under this report is limited to proven wilful negligence and will in no case be more than the invoiced amount. *A Satisfactory test report in no way implies that the product so tested is approved by NABL. * Laboratory is not responsible for the authenticity of photocopied test reports.

WARNING: Attention is drawn to the limitations of the Liability, indemnification and jurisdictional issues established there in any holder of their document is advised that information contained hereon reflex the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document.



TEST REPORT

ULR NO: TC858223000000166F

Report No : EN23010014-03 Report Date : 19 Jan 2023

SAMPLE DRAWN BY LABORATORY

Customer Name : M/S. Mylan Laboratories Ltd - Unit 9

Customer Address : Plot No:5, Road No:12,Jawahar Lal Nehru Pharma City,531019

Sample Name : Tank Farm Monitoring

Sample No : EN23010014-03 Sampling Date : 09 Jan 2023

Sampling Location : SRP Tank form Area-ST 322 Sample Received on : 10 Jan 2023

Sample Condition : Fit for Analysis Test Started on : 10 Jan 2023

Media Used : Carboxen and Tenax Test Completed on : 19 Jan 2023


Test result

S.No	Test Name	Test Method	Units	Results	CPCB standard	
VOC Analysis						
1	Dichloromethane	GL/EN-INS/SOP/10	mg/Nm ³	BLQ(LOQ:0.1)	200	
2	Benzene			BLQ(LOQ:0.1)	5	
3	Toluene			BLQ(LOQ:0.1)	100	
4	O-Xylene			BLQ(LOQ:0.1)	100	
5	M-XYLENE			BLQ(LOQ:0.1)		
6	P-XYLENE			BLQ(LOQ:0.1)		
7	Acetonitrile				BLQ(LOQ:1.0)	1000
8	Acetone				BLQ(LOQ:1.0)	2000
9	HCL	NIOSH 7907	mg/Nm ³	BDL(DL:0.02)	35	
10	Ammonia as NH ₃	GL/EN/SOP/057	mg/Nm ³	BDL(DL:0.02)	30	
11	Chlorine as Cl ₂	IS 5182 Part 19	mg/Nm ³	BDL(DL:0.1)	15	

Note: BLQ-Below Limit of Quantification, LOQ-Limit of Quantification

.....End of Report.....

Page 1 of 1


 Authorized Signature
 E. Prithvirajan
 Manager - Lab

#6/1,1st Floor, Sri Jothi Complex, Murugesan Street, Balavinayagar Nagar,Arumbakkam, Chennai – 600106.

Terms and Conditions:

* The Test Results Relate only to the items tested.* The Test Report Shall not be reproduced in full or part without the written approval of BVIL. * The test items will not be retained for more than 15 days from the date of issue of test report excepts in the case as required by the application regulations. * The Laboratory's Responsibility under this report is limited to proven wilful negligence and will in no case be more than the invoiced amount. *A Satisfactory test report in no way implies that the product so tested is approved by NABL. * Laboratory is not responsible for the authenticity of photocopied test reports.

WARNING: Attention is drawn to the limitations of the Liability, indemnification and jurisdictional issues established there in any holder of their document is advised that information contained hereon reflex the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document.



TEST REPORT

ULR NO: TC858223000000167F

Report No : EN23010014-04 Report Date : 19 Jan 2023

SAMPLE DRAWN BY LABORATORY


Customer Name : M/S. Mylan Laboratories Ltd - Unit 9
Customer Address : Plot No:5, Road No:12,Jawahar Lal Nehru Pharma City,531019
Sample Name : Tank Farm Monitoring
Sample No : EN23010014-04 Sampling Date : 09 Jan 2023
Sampling Location : SRP Tank form Area-ST 823 Sample Received on : 10 Jan 2023
Sample Condition : Fit for Analysis Test Started on : 10 Jan 2023
Media Used : Carboxen and Tenax Test Completed on : 19 Jan 2023

Test result

S.No	Test Name	Test Method	Units	Results	CPCB standard
VOC Analysis					
1	Dichloromethane	GL/EN-INS/SOP/10	mg/Nm ³	BLQ(LOQ:0.1)	200
2	Benzene			BLQ(LOQ:0.1)	5
3	Toluene			BLQ(LOQ:0.1)	100
4	O-Xylene			BLQ(LOQ:0.1)	100
5	M-XYLENE			BLQ(LOQ:0.1)	
6	P-XYLENE			BLQ(LOQ:0.1)	
7	Acetonitrile			BLQ(LOQ:1.0)	1000
8	Acetone			BLQ(LOQ:1.0)	2000
9	HCL	NIOSH 7907	mg/Nm ³	BDL(DL:0.02)	35
10	Ammonia as NH ₃	GL/EN/SOP/057	mg/Nm ³	BDL(DL:0.02)	30
11	Chlorine as Cl ₂	IS 5182 Part 19	mg/Nm ³	BDL(DL:0.1)	15

Note: BLQ-Below Limit of Quantification, LOQ-Limit of Quantification

.....End of Report.....
Page 1 of 1


Authorized Signature
E. Prithvirajan
Manager - Lab

#6/1,1st Floor, Sri Jothi Complex, Murugesan Street, Balavinayagar Nagar,Arumbakkam, Chennai – 600106.

Terms and Conditions:

* The Test Results Relate only to the items tested.* The Test Report Shall not be reproduced in full or part without the written approval of BVIL. * The test items will not be retained for more than 15 days from the date of issue of test report excepts in the case as required by the application regulations. * The Laboratory's Responsibility under this report is limited to proven wilful negligence and will in no case be more than the invoiced amount. *A Satisfactory test report in no way implies that the product so tested is approved by NABL. * Laboratory is not responsible for the authenticity of photocopied test reports.

WARNING: Attention is drawn to the limitations of the Liability, indemnification and jurisdictional issues established there in any holder of their document is advised that information contained hereon reflex the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document.



TEST REPORT

ULR NO: TC858223000000168F

Report No : EN23010014-05 Report Date : 19 Jan 2023

SAMPLE DRAWN BY LABORATORY

Customer Name : M/S. Mylan Laboratories Ltd - Unit 9

Customer Address : Plot No:5, Road No:12,Jawahar Lal Nehru Pharma City,531019

Sample Name : Tank Farm Monitoring

Sample No : EN23010014-05 Sampling Date : 09 Jan 2023

Sampling Location : Peso Tank form Area-ST 831 Sample Received on : 10 Jan 2023

Sample Condition : Fit for Analysis Test Started on : 10 Jan 2023

Media Used : Carboxen and Tenax Test Completed on : 19 Jan 2023


Test result

S.No	Test Name	Test Method	Units	Results	CPCB standard	
VOC Analysis						
1	Dichloromethane	GL/EN-INS/SOP/10	mg/Nm ³	BLQ(LOQ:0.1)	200	
2	Benzene			BLQ(LOQ:0.1)	5	
3	Toluene			BLQ(LOQ:0.1)	100	
4	O-Xylene			BLQ(LOQ:0.1)	100	
5	M-XYLENE			BLQ(LOQ:0.1)		
6	P-XYLENE			BLQ(LOQ:0.1)		
7	Acetonitrile				BLQ(LOQ:1.0)	1000
8	Acetone				BLQ(LOQ:1.0)	2000
9	HCL	NIOSH 7907	mg/Nm ³	BDL(DL:0.02)	35	
10	Ammonia as NH3	GL/EN/SOP/057	mg/Nm ³	BDL(DL:0.02)	30	
11	Chlorine as Cl2	IS 5182 Part 19	mg/Nm ³	BDL(DL:0.1)	15	

Note: BLQ-Below Limit of Quantification, LOQ-Limit of Quantification

.....End of Report.....

Page 1 of 1


 Authorized Signature
 E. Prithvirajan
 Manager - Lab

#6/1,1st Floor, Sri Jothi Complex, Murugesan Street, Balavinayagar Nagar,Arumbakkam, Chennai – 600106.

Terms and Conditions:

* The Test Results Relate only to the items tested.* The Test Report Shall not be reproduced in full or part without the written approval of BVIL. * The test items will not be retained for more than 15 days from the date of issue of test report excepts in the case as required by the application regulations. * The Laboratory's Responsibility under this report is limited to proven wilful negligence and will in no case be more than the invoiced amount. *A Satisfactory test report in no way implies that the product so tested is approved by NABL. * Laboratory is not responsible for the authenticity of photocopied test reports.

WARNING: Attention is drawn to the limitations of the Liability, indemnification and jurisdictional issues established there in any holder of their document is advised that information contained hereon reflex the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document.



TEST REPORT

ULR NO: TC858223000000169F

Report No : EN23010014-06 Report Date : 19 Jan 2023

SAMPLE DRAWN BY LABORATORY

Customer Name : M/S. Mylan Laboratories Ltd - Unit 9

Customer Address : Plot No:5, Road No:12,Jawahar Lal Nehru Pharma City,531019

Sample Name : Tank Farm Monitoring

Sample No : EN23010014-06 Sampling Date : 09 Jan 2023

Sampling Location : Non Peso Tank form Area-ST 525 Sample Received on : 10 Jan 2023

Sample Condition : Fit for Analysis Test Started on : 10 Jan 2023

Media Used : Carboxen and Tenax Test Completed on : 19 Jan 2023


Test result

S.No	Test Name	Test Method	Units	Results	CPCB standard	
VOC Analysis						
1	Dichloromethane	GL/EN-INS/SOP/10	mg/Nm ³	BLQ(LOQ:0.1)	200	
2	Benzene			BLQ(LOQ:0.1)	5	
3	Toluene			BLQ(LOQ:0.1)	100	
4	O-Xylene			BLQ(LOQ:0.1)	100	
5	M-XYLENE			BLQ(LOQ:0.1)		
6	P-XYLENE			BLQ(LOQ:0.1)		
7	Acetonitrile				BLQ(LOQ:1.0)	1000
8	Acetone				BLQ(LOQ:1.0)	2000
9	HCL	NIOSH 7907	mg/Nm ³	BDL(DL:0.02)	35	
10	Ammonia as NH ₃	GL/EN/SOP/057	mg/Nm ³	BDL(DL:0.02)	30	
11	Chlorine as Cl ₂	IS 5182 Part 19	mg/Nm ³	BDL(DL:0.1)	15	

Note: BLQ-Below Limit of Quantification, LOQ-Limit of Quantification

.....End of Report.....

Page 1 of 1


 Authorized Signature
 E. Prithivirajan
 Manager - Lab

#6/1,1st Floor, Sri Jothi Complex, Murugesan Street, Balavinayagar Nagar,Arumbakkam, Chennai – 600106.

Terms and Conditions:

* The Test Results Relate only to the items tested.* The Test Report Shall not be reproduced in full or part without the written approval of BVIL. * The test items will not be retained for more than 15 days from the date of issue of test report excepts in the case as required by the application regulations. * The Laboratory's Responsibility under this report is limited to proven wilful negligence and will in no case be more than the invoiced amount. *A Satisfactory test report in no way implies that the product so tested is approved by NABL. * Laboratory is not responsible for the authenticity of photocopied test reports.

WARNING: Attention is drawn to the limitations of the Liability, indemnification and jurisdictional issues established there in any holder of their document is advised that information contained hereon reflex the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document.



TEST REPORT

ULR NO: TC858223000000170F

Report No : EN23010014-07 Report Date : 19 Jan 2023

SAMPLE DRAWN BY LABORATORY

Customer Name : M/S. Mylan Laboratories Ltd - Unit 9

Customer Address : Plot No:5, Road No:12,Jawahar Lal Nehru Pharma City,531019

Sample Name : Tank Farm Monitoring

Sample No : EN23010014-07 Sampling Date : 09 Jan 2023

Sampling Location : Non Peso Tank form Area-ST 507 Sample Received on : 10 Jan 2023

Sample Condition : Fit for Analysis Test Started on : 10 Jan 2023

Media Used : Carboxen and Tenax Test Completed on : 19 Jan 2023


Test result

S.No	Test Name	Test Method	Units	Results	CPCB standard	
VOC Analysis						
1	Dichloromethane	GL/EN-INS/SOP/10	mg/Nm ³	BLQ(LOQ:0.1)	200	
2	Benzene			BLQ(LOQ:0.1)	5	
3	Toluene			BLQ(LOQ:0.1)	100	
4	O-Xylene			BLQ(LOQ:0.1)	100	
5	M-XYLENE			BLQ(LOQ:0.1)		
6	P-XYLENE			BLQ(LOQ:0.1)		
7	Acetonitrile				BLQ(LOQ:1.0)	1000
8	Acetone				BLQ(LOQ:1.0)	2000
9	HCL	NIOSH 7907	mg/Nm ³	BDL(DL:0.02)	35	
10	Ammonia as NH ₃	GL/EN/SOP/057	mg/Nm ³	BDL(DL:0.02)	30	
11	Chlorine as Cl ₂	IS 5182 Part 19	mg/Nm ³	BDL(DL:0.1)	15	

Note: BLQ-Below Limit of Quantification, LOQ-Limit of Quantification

.....End of Report.....

Page 1 of 1


 Authorized Signature
 E. Prithvirajan
 Manager - Lab

#6/1,1st Floor, Sri Jothi Complex, Murugesan Street, Balavinayagar Nagar,Arumbakkam, Chennai – 600106.

Terms and Conditions:

* The Test Results Relate only to the items tested.* The Test Report Shall not be reproduced in full or part without the written approval of BVIL. * The test items will not be retained for more than 15 days from the date of issue of test report excepts in the case as required by the application regulations. * The Laboratory's Responsibility under this report is limited to proven wilful negligence and will in no case be more than the invoiced amount. *A Satisfactory test report in no way implies that the product so tested is approved by NABL. * Laboratory is not responsible for the authenticity of photocopied test reports.

WARNING: Attention is drawn to the limitations of the Liability, indemnification and jurisdictional issues established there in any holder of their document is advised that information contained hereon reflex the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document.



TEST REPORT

ULR NO: TC858223000000171F

Report No : EN23010014-08 Report Date : 19 Jan 2023

SAMPLE DRAWN BY LABORATORY

Customer Name : M/S. Mylan Laboratories Ltd - Unit 9

Customer Address : Plot No:5, Road No:12,Jawahar Lal Nehru Pharma City,531019

Sample Name : Tank Farm Monitoring

Sample No : EN23010014-08 Sampling Date : 09 Jan 2023

Sampling Location : Non Peso Tank form Area-ST 807 Sample Received on : 10 Jan 2023

Sample Condition : Fit for Analysis Test Started on : 10 Jan 2023

Media Used : Carboxen and Tenax Test Completed on : 19 Jan 2023


Test result

S.No	Test Name	Test Method	Units	Results	CPCB standard	
VOC Analysis						
1	Dichloromethane	GL/EN-INS/SOP/10	mg/Nm ³	BLQ(LOQ:0.1)	200	
2	Benzene			BLQ(LOQ:0.1)	5	
3	Toluene			BLQ(LOQ:0.1)	100	
4	O-Xylene			BLQ(LOQ:0.1)	100	
5	M-XYLENE			BLQ(LOQ:0.1)		
6	P-XYLENE			BLQ(LOQ:0.1)		
7	Acetonitrile				BLQ(LOQ:1.0)	1000
8	Acetone				BLQ(LOQ:1.0)	2000
9	HCL	NIOSH 7907	mg/Nm ³	BDL(DL:0.02)	35	
10	Ammonia as NH ₃	GL/EN/SOP/057	mg/Nm ³	BDL(DL:0.02)	30	
11	Chlorine as Cl ₂	IS 5182 Part 19	mg/Nm ³	BDL(DL:0.1)	15	

Note: BLQ-Below Limit of Quantification, LOQ-Limit of Quantification

.....End of Report.....

Page 1 of 1


 Authorized Signature
 E. Prithvirajan
 Manager - Lab

#6/1,1st Floor, Sri Jothi Complex, Murugesan Street, Balavinayagar Nagar,Arumbakkam, Chennai – 600106.

Terms and Conditions:

* The Test Results Relate only to the items tested.* The Test Report Shall not be reproduced in full or part without the written approval of BVIL. * The test items will not be retained for more than 15 days from the date of issue of test report excepts in the case as required by the application regulations. * The Laboratory's Responsibility under this report is limited to proven wilful negligence and will in no case be more than the invoiced amount. *A Satisfactory test report in no way implies that the product so tested is approved by NABL. * Laboratory is not responsible for the authenticity of photocopied test reports.

WARNING: Attention is drawn to the limitations of the Liability, indemnification and jurisdictional issues established there in any holder of their document is advised that information contained hereon reflex the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document.

ANNEXURE –14

Acknowledgement copy of Green Belt



Mylan Laboratories Limited

Plot No: 564/A/22, Road No.92 Jubilee Hills,
Hyderabad - 500 096, Telangana, India
Tel : +9140-30866666, 23550543, Fax: 30866699
E-Mail: mylan.india@mylan.in
Web : www.mylanlabs.in
CIN : U24231TG1984PLC005146

Date: 12.09.2022

To

The Joint Chief Environmental Engineer
AP Pollution Control Board
D No. 33-26-14 D/2
Near Sunshine Hospital
Pushpa Hotel Centre
Chalamvari Street, Kasturibai Street
Vijayawada – 520010

Sir,

Sub: Mylan Laboratories Limited Unit-9- Request for amendment in other condition No.26 and Condition No.38 of the CFE (CPM) received by our Site dated 25.08.2022- Regarding

- Ref: 1. Industry's CFE(CPM) application received through A.P.OCMMS on 30.06.2022.
2. R.O's inspection report dt.12.07.2022.
3. CFE Committee meeting held on 26.07.2022.
4. T.O. letter. dt.29.07.2022
5. Industry's reply letter. dt.12.08.2022.
6. Order No.155/APPCB/CFE/RO-VSP/HO/2014 25/08/2022

With reference to the subject mentioned above, we would like to thank your good office for granting our CFE (CPM) vide consent order number 155/APPCB/CFE/RO-VSP/HO/2014 25/08/2022 dated 25.08.2022.

However, we would like to bring to the notice of the board two of the consent conditions from the above referred consent order for your kind perusal and consideration for amendment.

Other conditions No.26

"The industry shall comply with the following conditions as committed vide lr.dt.12.08.2022. "The industry shall develop and maintain green belt not less than 33% of the total area in the premises".

Other conditions No.38

"Green belt shall be developed all along the boundary & vacant spaces with tall growing trees with good canopy and it shall not be less than 33% of the total area:

In this regard, would like to inform your good office that, we have maintained 0.319 Acres greenbelt within the plant premises. However, due to the space constraints within the Site, we have undertaken several greenbelt development activities outside the premises. We have further developed 2.128 Acres of greenbelt in front of our premises in land allotted by JNPC Pharma city. Further, at IALA Gajuwaka, a total of 2.624 Acres of greenbelt developed combinedly for Unit-9 & 10. Out of that 50% which amounts to 1.312 Acres is from Unit-9.

Hence, a total of 3.75 Acres (56.2%) have been developed by Unit-9.

We have given the same representation to the board vide our earlier communication letters, during the CFE (CPM) Site inspection and during the CFE (CPM) technical committee meeting. The same was also clarified vide our undertaking letter submitted on 12.08.2022.

Based on the above details, we request your good office to kindly amend our consent conditions – (Other conditions No.26 and 38) by considering the outside plantation carried out by us and amend the condition as follows:

“The industry shall develop and maintain green belt not less than 33% of the total plant area by carrying greenbelt activities inside and outside the premises”.

Thanking you

Yours faithfully
For Mylan Laboratories Limited., Unit 9



Sunil Roy Wadhwa
Head of API Manufacturing – API 9 India

CC: The Environment Engineer – Regional Office -Vizag

The Joint Chief Environment Engineer – Zonal Office - Vizag

Rajashekar Kondepudi

From: Rajashekar Kondepudi
Sent: Tuesday, September 13, 2022 9:40 AM
To: K.Sree Rama Murthy
Cc: P.Ravindranadh; RO Visakhapatnam; T.Rajendra Reddy JCEE; Srinivasarao Gangavarapu
Subject: APPCB - CFE - M/s. Mylan Laboratories Ltd., Unit – 9, Plot No. 5, JNPC, Parawada, Visakhapatnam District - Greenbelt -Request for amendment -Reg
Attachments: Mylan Unit 9 CFE - request for ammendment.pdf; SDPCB008220577..pdf

Dear sir,

Good morning

Request for amendment on green belt condition as we have space constrains within the premises and we have done outside also. Kindly consider outside plantation area to meet green belt requirement.

Best Regards

K Rajasekhar

Head -EHS

Mylan Laboratories Limited

A Viatris Company

Unit -9 , Plot No.5, Road No. 12

Tadi (V) ,Parawada (M) Visakhapatnam 531 019

Rajashekar.kondepudi@viatris.com

Direct: +91 0891 3068046

Mobile: +91 7675019090

Viatris.com



Rajashekar Kondepudi

From: Rajashekar Kondepudi
Sent: Tuesday, September 13, 2022 9:40 AM
To: K.Sree Rama Murthy
Cc: P.Ravindranadh; RO Visakhapatnam; T.Rajendra Reddy JCEE; Srinivasarao Gangavarapu
Subject: APPCB - CFE - M/s. Mylan Laboratories Ltd., Unit – 9, Plot No. 5, JNPC, Parawada, Visakhapatnam District - Greenbelt -Request for amendment -Reg
Attachments: Mylan Unit 9 CFE - request for ammendment.pdf; SDPCB008220577..pdf

Dear sir,

Good morning

Request for amendment on green belt condition as we have space constrains within the premises and we have done outside also. Kindly consider outside plantation area to meet green belt requirement.

Best Regards

K Rajasekhar

Head -EHS

Mylan Laboratories Limited

A Viatris Company

Unit -9 , Plot No.5, Road No. 12

Tadi (V),Parawada (M) Visakhapatnam 531 019

Rajashekar.kondepudi@viatris.com

Direct: +91 0891 3068046

Mobile: +91 7675019090

Viatris.com



ANNEXURE – 15

Photographs of SRP column vents connected to Activated Carbon Bed



ANNEXURE – 16

**Acknowledgement of copy of SRP recovery solvents of 5%
loss**



Mylan Laboratories Limited

Plot No: 564/A/22, Road No.92 Jubilee Hills,
Hyderabad - 500 096, Telangana, India
Tel : +91 40 - 30866666, 23550543, Fax: 30866699
E-Mail : mylan.india @ mylan.in
Web : www.mylanlabs.in
CIN : U2423 1TG1984PLC005146

13.09.2022

To
Environmental Engineer
Regional Office, Behind RTO Office
A.P. Pollution Control Board
Vishakhapatnam

Sir,

Sub: Spent solvents Generation, Utilization & Disposal quantities – Reg.,

With reference to the subject mentioned above, the Spent solvents Generation, Utilization & Disposal quantities mentioned in the table for the period of 1st April'2021 to 31st Mar'2022.

M/s Mylan Laboratories Limited, Unit-09				
Spent Solvents Generated (Tons)	Spent Solvents Recovered (Tons)	Spent Solvents Utilized (Captive within the industry (Tons)	Mixed Spent solvents generated (Tons) Disposed to Cement industries/TSDF	Mixed spent solvents/Spent Solvents disposed to Recyclers/Co-Processing (Tons)- Disposed to Recyclers
36341	34227	31548	1278	2684

Note: All units are in Tons

Hence you are requested to acknowledge the receipt of the report.

Yours faithfully,

For Mylan Laboratories, Limited - Unit-09

Mr. Sunil Roy Wadhwa

VP – Head of API Mfg. Services (Unit-09)

ANNEXURE – 17

Acknowledgement copy of ODS submission copy



Mylan Laboratories Limited

Plot No: 564/A/22, Road No.92, Jubilee Hills,
Hyderabad - 500 096, Telangana, India
Tel : +91 40 - 30866666, 23550543, Fax: 30866699
E-Mail : mylan.india @ mylan.in
Web : www.mylanlabs.in
CIN : U2423 1TG1984PLC005146

July 27th, 2023

To

The Environmental Engineer,
Regional Office
A.P. Pollution Control Board,
Visakhapatnam

Sir,

Sub : Mylan Laboratories Limited, Unit-9, Visakhapatnam - Submission of monthly Ozone Depleting Substances consumption records towards compliance of general conditions – Point NO. 34 of our Consent Order dated 18.11.2022 – regarding.

Ref : CTO Order No. APPCB/VSP/155/HO/CFO/2009 – dated: 18.11.2022

As per point No. 34 of General Conditions from the above referred CFO order dated 18.11.2022, would like to update the bord that, consumption of the Ozone Depleting Substances at the site is being monitored regularly.

Herewith, find attached ODS consumption details for the period of January-2023 to June-2023 as Annexure-I for your kind reference towards compliance of the point.

Kindly acknowledge the receipt of the same.

Thanking You,

Yours truly,

For Mylan Laboratories Limited, Unit-9

Mr. Sunil Roy Wadhwa
Head – API Manufacturing, Unit-9



31.7.23

Encl. As above

CC to : The JCEE, APPCB, Zonal Office, Visakhapatnam.

ANNEXURE – 18

Photograph of Digital Display Board at Main Gate

DIGITAL DISPLAY BOARD AT MAIN GATE



ANNEXURE – 19

**Acknowledgement copy of latest Half-yearly compliance
report**




Mylan Laboratories Limited

Plot No: 564/A/22, Road No.92, Jubilee Hills,
Hyderabad - 500 096, Telangana, India
Tel : +91 40-30866666, 23550543, Fax: 30866699
E-Mail : mylan.india @ mylan.in
Web : www.mylanlabs.in
CIN : U2423 1TG1984PLC005146

Date: 12th June 2023

To,
The Member Secretary,
A.P. Pollution Control Board,
D.No.33-26-14 D/2,
Near Sunrise Hospital,
Pushpa Hotel Centra,
Chalamalavari Street, Kasturibaipet,
Vijayawada – 520010.



Sir,

Sub: Submission of Half-Yearly CFO Compliance Report for the period from December 2022 to May 2023 of Mylan Laboratories Limited, Unit-9, Road No.12, Plot No.05, Tadi Village, Parawada Mandal, JN Pharmacy, Anakapalli Dist., A.P. – 531019 – Reg

Ref: Consent Order No: APPCB/VSP/155/HO/CFO-2009, dated: 18.11.2022 specific condition.

With the reference of the above cited, we are here with submitting Half-Yearly CFO Compliance Report for the period from December 2022 to May 2023 for your kind information.

With Regards,

For Mylan Laboratories Limited, Unit-9

Mr. Sunil Roy Wadhwa

Head – API Manufacturing (Unit-09)

Encl. As above

CC to: The Environmental Engineer, Regional Office, APPCB, Visakhapatnam.



15-6-23




Mylan Laboratories Limited

Plot No: 564/A/22, Road No.92, Jubilee Hills,
Hyderabad - 500 096, Telangana, India
Tel : +91 40-30866666, 23550543, Fax: 30866699
E-Mail : mylan.india@mylan.in
Web : www.mylanlabs.in
CIN : U24231TG1984PLC005146

12th June 2023

To,
The Member Secretary,
A.P. Pollution Control Board,
D.No.33-26-14 D/2,
Near Sunrise Hospital,
Pushpa Hotel Centra,
Chalamalavari Street, Kasturibaipet,
Vijayawada – 520010.



Sir,


Sub: Submission of Half-Yearly CFE Compliance Report for the period from December 2022 to May 2023 of Mylan Laboratories Limited, Unit-9, Road No.12, Plot No.05, Tadi Village, Parawada Mandal, JN Pharmacy, Anakapalli Dist., A.P. – 531019 – Reg

Ref: Consent Order No: 155/APPCB/CFE/RO-VSP/HO/2014, dated : 25.08.2022 specific condition.

With the reference of the above cited, we are here with submitting Half-Yearly CFE Compliance Report for the period from December 2022 to May 2023 for your kind information.

With Regards,

For Mylan Laboratories Limited, Unit-9


Mr. Sunil Roy Wadhwa

Head – API Manufacturing (Unit-09)

Encl. As above

CC to: The Environmental Engineer, Regional Office, APPCB, Visakhapatnam.



15.6.23

ANNEXURE – 20

Copy of NOC

Government of Andhra Pradesh
A.P. State Disaster Response and Fire Services Department

Periodical Renewal Fire Certificate

From:
Director General
State Disaster Response & Fire Services
Andhra Pradesh, Vijayawada.

To:
COMMISSIONER ,APIIC-IALA,JNPC,
COMMISSIONER ,APIIC-IALA,JNPC

File No: 19243/AKP/MSB/2023, Date:24/07/2023

Occupancy NoC RC Number: 886/JAO/DFO/VSP/2013 DTD 15/07/2014

Sir,

Sub: Andhra Pradesh State Disaster Response and Fire Services Department - Periodical Fire Certificate to the constructed Multi Storeyed Building of **MYLAN LABORATORIES LIMITED UNIT 9**, represented by **SUNILROY WADHWA, UNIT-9, PLOTNo.5, ROAD NO.12, JAWAHARLAL NEHRU PHARMA CITY, SEZ, TADI (V) PARAWADA,, ANAKAPALLI DIST** - Regarding.

- Ref:
1. G.O.Ms.NO.71 Home (Prisons-A) Department, Dated.01-04-2010 & G.O.Ms.NO.90 Home(Prison & Fire Services), Dt 13-08-2021 Á G.O.No 120 Home (Prisons & Fire), Dt 25-10-2021
 2. This Office Delegation of Powers Rc.No.3350/Audit/NOC/2012, Dated.02-05-2023.
 3. This Office NOC for Occupancy Rc No. 886/JAO/DFO/VSP/2013 DTD 15/07/2014, Dt.15/07/2014
 4. Renewal NOC For Occupancy 886/JAO/DFO/VSP/2013 DTD 15/07/2014, Dt.15/07/2020
 5. Online Application for Renewal NOC of SUNILROY WADHWA, UNIT-9, PLOTNo.5, ROAD NO.12, JAWAHARLAL NEHRU PHARMA CITY, SEZ, TADI (V) PARAWADA,, ANAKAPALLI DIST - Inspection report called for Regarding.
 6. Online Inspection Report submitted by Officers of this Department on 24-07-2023.

<< 0 >>

The Management of MYLAN LABORATORIES LIMITED UNIT 9, represented by SUNILROY WADHWA, UNIT-9, PLOTNo.5, ROAD NO.12, JAWAHARLAL NEHRU PHARMA CITY, SEZ, TADI (V) PARAWADA,, ANAKAPALLI DIST has requested to issue Periodical Fire Certificate duly remitting the Fire Precautionary fee for Rs.284687/- vide challan No. 71128235592023, Dated 14/06/2023 at SBI, VISAKHAPATNAM.

MANUFACTURING BLOCK 1

,MANUFACTURING BLOCK 3

,MANUFACTURING BLOCK 4

,MANUFACTURING BLOCK 5

,QA & QC BUILDING

,UTILITY BLOCK & TRANSFORMAR YARD

,ADMIN & CANTEEN BUILDING

,ENGINEERING STORES

,MANUFACTURING BLOCK 2

,WARE HOUSE-1(RAW-MATERIAL STORE & FG STORE)

,UTILITY BLOCK 2(FOR MB5)

,WARE HOUSE 2

,SOLVENT RECOVERY PLANT

,WARE HOUSE 3

,DRUM STORAGE (SOLVENT YARD) SHED

,OHC,REST,CHANGE ROOM ,SECURITY & TIME OFFICE (EARLIER
SECURITY & REST ROOM COMBINED)

,HAZARDOUS WASTE SHED,DISCARD CONTAINER SHED COMBINED
IN ONE

1. This certificate is being issued as per G.O.Ms.No:90,Home(Prisons & Fire),Dt:13-08-2021 & GO.No:120,Home(Prisons & Fire),Dt-25-10-2021
2. The No Objection Certificate for Occupancy was issued vide reference cited (3) and the Management has also obtained Periodical Renewal Fire Certificate for vide reference 4th cited to the constructed Multi Storeyed Building.
3. The Officers of the department have recommended to issue The Periodical Renewal Fire Certificate SUNILROY WADHWA UNIT-9, PLOTNo.5, ROAD NO.12, JAWAHARLAL NEHRU PHARMA CITY, SEZ, TADI (V) PARAWADA,, ANAKAPALLI DIST, subject to the following conditions.

Sl	As Builder	As Occupant	As Security Personnel
1	All the fire protection arrangements shall be maintained in good condition as seen during inspection.	All the escape/exit routes shall not be kept locked/blocked or encroached	All the occupants must know the correct method of operation of the fire fighting system installed.

2	Any loss of life or property due to non-functioning of fire safety measures and other installations shall be the responsibilities of the management.	All occupants shall be trained to operate the fire safety equipments during emergency.	Mock drills should be conducted once in 3 months for initial two years. Thereafter, once in every 6 months.
3	Addition / alteration, if any in the building may be verified by building authority.	Mock drills should be conducted once in 3 months for initial two years. Thereafter, once in every 6 months.	All security personnel shall be trained to operate the fire safety equipments during emergency.
4	This is Only for Fire Safety Point of View.	Raise the alarm if the fire cannot be controlled; Evacuate the area completely at once with nearest safe exit.	Attack the fire using available fire equipment only if you feel capable of controlling. If not, take all steps to isolate the area by closing doors and windows.

4. This Periodical Renewal Fire Certificate is valid from 24/07/2023 to 23/07/2026.

5. The Responsibility/liability of the owner/occupier or both to maintain Fire safety measures in good condition in all times, in accordance with AP Fire safety Act 1999 and Rules, 2006.

6. The Applicant/Management has agreed to comply with proposed revision of fire safety measures, which were sent to government vide Rc No. /MSB/Section/2023 Dt. 11-05-2023 or any other fire safety measures as may be approved by the government from time to time.

The following deficiencies are identified by the officers of the department and needs to be attended to by the management.

Your Sincerely,



Director General
State Disaster Response & Fire Services
Andhra Pradesh, Vijayawada.

Copy to SUNILROY WADHWA, UNIT-9, PLOTNo.5, ROAD NO.12, JAWAHARLAL NEHRU PHARMA CITY SEZ, TADI (V) PARAWADA,, ANAKAPALLI DIST

Copy to Chief Office for Record Purpose

Copy to Regional Fire Officer Concerned

Copy to District Fire Officer Concerned

Copy to Assistant District Fire Officer Concerned



GOVERNMENT OF ANDHRA PRADESH
STATE DISASTER RESPONSE & FIRE SERVICES DEPARTMENT

From :
The Director General,
State Disaster Response and Fire Services,
Andhra Pradesh, Vijayawada.

To :
The Management,
M/s Mylan Laboratories Limited, Unit-9,
Plot No.5, Road No.12, JNPC, Tadi (V),
Parawada (M), Anankapalli District 521019

Rc.No.6007/MSB/ER/AKP/2022 SDP, Dt: 23.06.2022. 7675019090

Sir,

Sub: A.P. State Disaster Response and Fire Services Department –MSB Section- Issue of No Objection Certificate for Occupancy to M/s Mylan Laboratories Limited, Unit-9, Plot No.5, Road No.12, JNPC, Tadi (V), Parawada (M), Anankapalli District - Regarding.

Ref: 1. Application of M/s Mylan Laboratories Limited, Unit-9, Plot No.5, Road No.12, JNPC, Tadi (V), Parawada (M), Anankapalli District.
2. Affidavit from the Management.

-oOo-

The Management has requested for issuance of No Objection Certificate for Occupancy to the Existing Building of M/s Mylan Laboratories Limited, Unit-9, Plot No.5, Road No.12, JNPC, Tadi (V), Parawada (M), Anankapalli District in the reference 1st cited.

2) The Management constructed the Industrial Building with (09) Blocks for Industrial Occupancy.

3) The Management has not obtained Provisional NOC from this Department and has now applied for No Objection Certificate for Occupancy.

4) **Particulars of the Building:**

a)	Address of the Building	:	M/s Mylan Laboratories Limited, Unit-9, Plot No.5, Road No.12, JNPC, Tadi (V), Parawada (M), Anankapalli District.
b)	No. of Blocks	:	09 Blocks
c)	Total Built up area	:	2343.88 Sq.Mtrs
d)	Type of Occupancy	:	Industrial Occupancy-G2

5) **Particulars of Industry:**

Sl. No.	Name of the Block	No. of Floors	Height in Mtrs.	Built-up Area in Sq.Mtrs	Type of Occupancy	No. of Staircases
1	Boiler House, Coal Storage Yard, Engg Work Shop	Ground + (01) UF	13.30	280.87	Industrial-G2	02 Nos.
2	Coal Shed	Ground	11.80	639.03	Industrial-G2	--
3	Effluent Tanks, Storage Building	Ground + (01) UF	09.10	273.60	Industrial-G2	02 Nos.
4	Fabrication Shed	Ground	05.50	405.00	Industrial-G2	--
5	Fire Water Pump House & Fire Water Sump Building	Ground	04.40	315.52	Industrial-G2	--
6	Garment Washing Room	Ground	04.00	42.30	Industrial-G2	--
7	HT Yard Building	Ground + (01) UF	10.00	174.24	Industrial-G2	02 Nos.
8	Idle Equipments & Engineering Material Shed	Ground	05.20	63.32	Industrial-G2	--
9	Utility Block-2	Ground	04.00	150.00	Industrial-G2	--
Total:				2343.88		

6) The Management has provided the necessary Fire Safety Systems as per norms along with the following Fire Safety Measures are also provided keeping in view of practicality, maintenance and resilience.

Sl. No	Fire Fighting Installations	Prescribed	Provided	Deficit
1	Fire Extinguishers	(01 Extinguisher of ABC/Co ₂ type for every 100 Square Meters)	28 Nos.	Nil
2	Temperature Sensors (Electronics)	Connected to Hooter and capable of giving alerts through Cell phone instead of where the Sprinklers to be required.	13 Nos.	Nil
3	Water Storage Tank	10,000 Ltrs.,	8,50,000 Ltrs	Nil
4	Manual Cal points	01 No. each per floor.	13 Nos.	Nil
5	5 HP (Mobile Pump + Petrol Engine on wheels) by connecting at Ground floor sump	Required	5HP -03 Nos.	Nil
6	Other Fire Pumps	--	Electrical Pump -01 No. Diesel Pump -01 No. Jockey Pump -01 No.	Nil
Sl.No. Electrical Safety Measures				
1	Miniature Circuit Breakers, MCBs		Provided	
2	No overloading.		Ensured	
3	10 years old wiring shall be changed.		Ensured	
4	LED lights in Closed Rooms, Corridors, Staircases connected to inverter (Battery)		Provided	
5	Grounding/Earthing shall be done		Done	
6	The above safety measures shall be attested by Electrical Supervisor/Contractor.		Certified	

7) The Management is responsible all risks involved in case of Fire Accident.

8) In view of the above and based on the Affidavit submitted by the Management, the No Objection Certificate is hereby issued to the M/s Mylan Laboratories Limited, Unit-9, Plot No.5, Road No.12, JNPC, Tadi (V), Parawada (M), Anankapalli District.

9) Further, the Management has submitted the following documents.

- i. Hazard Assessment and Risk analysis report
- ii. On site/Off site emergency plan.
- iii. Third party safety audit.
- iv. PESO Report.

10) Further, the Management has to submit the following information in self certification format to the website which will be intimated soon as shown below.

SELF CERTIFICATION (to be uploaded)					
Name and address of the industry / premises:					
S.No	Name of the Chemical	Storage Quantity at Present	No.of Days The quantity received	Nearest Fire Station with Phone No	Last Information given to Fire Services on Date
The above information is true to the best of my Knowledge					
Date			Signature Authority		

(b) **LIST OF HAZARDOUS CHEMICALS EMERGENCY INFORMATION**


Name of the Industry:															
Address:															
S. No	Chemical Name	Nature of chemical /toxic/poisonous /flammable/explosive/hazardous	In case of Fire: Fire Fighting Media and instructions	Spill Cleanup procedure	Contact with eye/skin	Incompatible with	PPE	Flash point OC	Boiling Point OC	LE L%	UEL %	MSDS CODE	STORAGE Quantity	Geo -- Coordinates	
														Latitude	Longitude

11) It is informed that, the Management is requested to maintain the following conditions compulsorily for safety purpose.

Sl.No.	As Builder	As occupant	As Security Personnel
1	All the fire protection arrangements shall be maintained in good condition as seen during inspection.	All the escape/exit routes shall not be kept locked/blocked or encroached	All the occupants must be trained in correct method of operation of the fire fighting system installed.
2	Any loss of life or property due to non-functioning of fire safety measures and other installations shall be the responsibility of the management.	All occupants shall be trained to operate the fire safety equipments during emergency.	Mock drills should be conducted once in 3 months for initial two years. Thereafter, once in every 6 months.
3	Addition / alteration, if any in the building may be verified by building authority.	Mock drills should be conducted once in 3 months for initial two years. Thereafter, once in every 6 months.	All security personnel shall be trained to operate the fire safety equipments during emergency.
4	This No objection Certificate for occupancy is issued from Fire safety point of view.	Raise the alarm if the fire cannot be controlled; Evacuate the area completely at once with nearest safe exit.	Attack the fire using available fire equipment only if you feel capable of controlling. If not, take all steps to isolate the area by closing doors and windows.

12) This No Objection Certificate for Occupancy is valid for a period of Five years only from the date of issue of this letter to the Management of M/s Mylan Laboratories Limited, Unit-9, Plot No.5, Road No.12, JNPC, Tadi (V), Parawada (M), Anankapalli District. The owner/ Occupier/ Builder/ Management concerned of the building shall submit self declaration/ Certification with regard to working condition of fire safety measures every year in the prescribed format and submit/upload the photographs of the Mock drills conducted in the premises. It is the responsibility of the builder to apply for Renewal of No Objection Certificate for Occupancy, duly remitting the User Charges as per G.O.Ms.No.90, Home (Prisons & Fire) Department, dated.13-08-2021 and G.O.Ms.No.120, Home (Prisons & Fire) Department, dated.25-10-2021 before expiry of this No Objection Certificate.

Yours sincerely,



Director General,
State Disaster Response and Fire Services,
Andhra Pradesh, Vijayawada.

Copy to the Commissioner of Industries, Vijayawada, Andhra Pradesh.

Note: In case of any emergency call to 101 or State Fire Control Room-9100108101.

ANNEXURE – 21

Acknowledgement copy of Onsite Emergency Plan



Mylan Laboratories Limited

Plot No: 564/A/22, Road No.92, Jubilee Hills,
Hyderabad - 500 096, Telangana, India
Tel : +91 40-30866666, 23550543, Fax: 30866699
E-Mail : mylan.india @ mylan.in
Web : w w w . mylan l a b s . i n
CIN : U2423 1TG1984PLC005146

22nd June 2023

To,

The Inspector of Factories,
Factories Department,
D.No:50-50-38/8, Gurucharan Marg.
Visakhapatnam-13.

Sub: Submission of Hard copy of On-Site Emergency Plan (OSEP) in Mylan Laboratories Limited, A Viatris Company, Unit-09, Parawada, Visakhapatnam. –Reg

Ref: Mail communication on 17th June 2023.

Dear Sir,

This is bringing to your kind information that as per your mail reference on 17th June 2023, Regarding submission Hard copy of the On-Site Emergency Plan (OSEP)

In this regard, we are submitting the On-Site Emergency Plan (OSEP) for your good office.

Hence you are requested to acknowledge the receipt of the report.

Yours Truly

For **Mylan Laboratories Limited, A Viatris Company, Unit-09**

Sunil Roy Wadhwa
Factory Manager

Enclosure: Hard copy of On-Site Emergency Plan (OSEP)



ANNEXURE – 22

**Acknowledgement copy of Safety equipment and gas
detectors calibration report**



Mylan

o/c

Mylan Laboratories Limited

Plot No : 564/A/22, Road No. 92, Jubilee Hills
Hyderabad - 500 096, Telangana, India
Tel : +91 40-30866666, 23550543, Fax : 30866699
E-Mail : mylan.india@mylan.in
Web : www.mylanlabs.in
CIN : U24231TG1984PLC005146

28th March 2022

To,

The Deputy Chief Inspector of Factories,
Factories Department,
D.No:50-50-38/8, Gurucharan Marg.
Visakhapatnam-13.

Sub: Submission of Calibration Certificate for leak detection system (Fixed Oxygen/LEL/VOC detectors) available in Mylan Laboratories Limited, A Viatris Company, Unit-09, Parawada, Visakhapatnam --Reg

Ref: General condition number 32 in CFO order no: APPCB/VSP/VSP/155/HO/CFO/2020
Dt: 18.09.2020

Dear Sir,

This is bringing to your kind information that here with we are submitting the List of Detectors & Calibration certificates for leak detection system (Fixed Oxygen/ LEL/ VOC detectors) which are available in Mylan Laboratories Limited, Unit-09, Parawada, Visakhapatnam.

Hence you are requested to acknowledge the receipt of the report.


Yours Truly

For **Mylan Laboratories Limited, A Viatris Company, Unit-09**

Mr. Sunil Roy Wadhwa
Head of API manufacturing operations (Unit-09)

Enclosure:

Annexure-01 List of Detectors with calibration reports.
Annexure-02 CFO copy



ANNEXURE – 23

Risk Analysis scenario (HARA) report submission PCB

Acknowledgment copy



Mylan

9/c

Mylan Laboratories Limited

Plot No : 564/A/22, Road No. 92, Jubilee Hills,
Hyderabad - 500 096, Telangana, India
Tel: +91 40-30866666, 23550543, Fax: 30866699
E-Mail : mylan.india@mylan.in
Web : www.mylanlabs.in
CIN : U24231TG1984PLC005146

29th March 2021

To,

The Joint Chief Inspector of Factories,
Factories Department,
D.No:50-50-35/8, Gurucharan Marg,
BS Layout, Seetammadhara,
Visakhapatnam-13.

Sub: Submission of External Hazard Analysis & Risk Assessment (HARA) Study with of condition wise compliance report done by M/s. 4S Safety Associates for Mylan Laboratories Limited, (A Viatrix Company) Unit-09, Parawada, Visakhapatnam –Reg.

Ref:

1. Condition given in the "Amendment of Factory Building Plans Approval Letter No: LAE05-11021(35)/22/2021-A SEC-DOF, Dated on 23/02/2021 from Director of Factories.
2. Inspection ID: 082020030254915 dated on 24th August 2020.

Dear Sir,

With reference to the above subject, we have conducted Hazard Analysis & Risk Assessment (HARA) Study for 11 no's of manufacturing products by M/s. 4S Safety Associates Consultancy in the month of December-2020. Also, we are submitting the condition wise compliance to the recommendations given in HARA Study to your good selves.

Hence you are requested to acknowledge the receipt of the report.

Yours Truly

For Mylan Laboratories Limited, Unit-09 (A Viatrix Company)





Sunil Roy Wadhwa
Factory Manager

Enclosure:

1. Condition wise compliance to the recommendations of HARA study.

Copy to:

1. Deputy Chief Inspector of Factories, Visakhapatnam
2. Inspector of Factories, Visakhapatnam



ANNEXURE – 24

**Acknowledgement copy of HW Annual Returns (Form-4)
Submission**



^{o/c}
Mylan

Mylan Laboratories Limited

Plot No : 564/A/22, Road No. 92, Jubilee Hills
Hyderabad - 500 096, Telangana, India
Tel : +91 40-30866666, 23550543, Fax : 30866699
E-Mail : mylan.india@mylan.in
Web : www.mylanlabs.in
CIN : U24231TG1984PLC005146

Date: 27.06.2023

To,
The Environmental Engineer,
A.P. Pollution Control Board,
D.No. 33-26-14 D/2,
Near Sunrise Hospital,
Pushpa Hotel Centre,
Chalamalavari Street,
Kasturibaipet, Vijayawada – 520010



Dear Sir,

Sub: Mylan Laboratories Limited, Unit 9, Visakhapatnam–Submission of Hazardous Waste Annual Returns in Form-4 – FY2022-2023 - Regarding.

With reference to vide subject cited, we are herewith submitting Hazardous Waste Annual Returns in Form-4 – FY 2022-2023 for your perusal and records.

Kindly acknowledge the receipt of same.

Thanking you,

Yours truly,
For Mylan Laboratories Limited, Unit-9

Mr. Sunil Roy Wadhwa
Head – API Manufacturing Services, Unit-9



Encl. As above

CC to: i) The Environmental Engineer, Regional Office, APPCB, Visakhapatnam.